



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'updwtmp.3'

\$ man updwtmp.3

UPDWTMP(3) Linux Programmer's Manual UPDWTMP(3)

NAME

updwtmp, logwtmp - append an entry to the wtmp file

SYNOPSIS

```
#include <utmp.h>

void updwtmp(const char *wtmp_file, const struct utmp *ut);

void logwtmp(const char *line, const char *name, const char *host);

For logwtmp(), link with -lutil.
```

DESCRIPTION

updwtmp() appends the utmp structure ut to the wtmp file.

logwtmp() constructs a utmp structure using line, name, host, current time and current process ID. Then it calls updwtmp() to append the structure to the wtmp file.

FILES

/var/log/wtmp

database of past user logins

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?updwtmp(), ? Thread safety ? MT-Unsafe sig:ALRM timer ?

?logwtmp() ? ? ?

??

CONFORMING TO

Not in POSIX.1. Present on Solaris, NetBSD, and perhaps other systems.

NOTES

For consistency with the other "utmpx" functions (see `getutxent(3)`), glibc provides (since version 2.1):

```
#include <utmpx.h>
```

```
void updwtmpx (const char *wtmpx_file, const struct utmpx *utx);
```

This function performs the same task as `updwtmp()`, but differs in that it takes a `utmpx` structure as its last argument.

SEE ALSO

`getutxent(3)`, `wtmp(5)`

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2017-09-15

UPDWTMP(3)