



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'wcscat.3'

\$ man wcscat.3

WCSCAT(3) Linux Programmer's Manual WCSCAT(3)

NAME

wcscat - concatenate two wide-character strings

SYNOPSIS

```
#include <wchar.h>

wchar_t *wcscat(wchar_t *dest, const wchar_t *src);
```

DESCRIPTION

The `wcscat()` function is the wide-character equivalent of the `strcat(3)` function. It copies the wide-character string pointed to by `src`, including the terminating null wide character (`L'\0'`), to the end of the wide-character string pointed to by `dest`.

The strings may not overlap.

The programmer must ensure that there is room for at least `wcslen(dest)+wcslen(src)+1` wide characters at `dest`.

RETURN VALUE

`wcscat()` returns `dest`.

ATTRIBUTES

For an explanation of the terms used in this section, see `attributes(7)`.

??

?Interface ? Attribute ? Value ?

??

?wcscat() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, C99.

SEE ALSO

strcat(3), wcpcpy(3), wcscpy(3), wcsncat(3)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2019-03-06

WCSCAT(3)