



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'wcslen.3'***

**\$ man wcslen.3**

WCSLEN(3)                      Linux Programmer's Manual                      WCSLEN(3)

**NAME**

wcslen - determine the length of a wide-character string

**SYNOPSIS**

```
#include <wchar.h>

size_t wcslen(const wchar_t *s);
```

**DESCRIPTION**

The wcslen() function is the wide-character equivalent of the strlen(3) function. It determines the length of the wide-character string pointed to by s, excluding the terminating null wide character (L'\0').

**RETURN VALUE**

The wcslen() function returns the number of wide characters in s.

**ATTRIBUTES**

For an explanation of the terms used in this section, see attributes(7).

??  
?Interface ? Attribute ? Value ?  
??  
?wcslen() ? Thread safety ? MT-Safe ?  
??

**CONFORMING TO**

POSIX.1-2001, POSIX.1-2008, C99.

**SEE ALSO**

strlen(3)

## COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2019-03-06

WCSLEN(3)