



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'wcsncat.3'

\$ man wcsncat.3

WCSNCAT(3) Linux Programmer's Manual WCSNCAT(3)

NAME

wcsncat - concatenate two wide-character strings

SYNOPSIS

```
#include <wchar.h>

wchar_t *wcsncat(wchar_t *dest, const wchar_t *src, size_t n);
```

DESCRIPTION

The wcsncat() function is the wide-character equivalent of the strncat(3) function. It copies at most n wide characters from the wide-character string pointed to by src to the end of the wide-character string pointed to by dest, and adds a terminating null wide character (L'\0').

The strings may not overlap.

The programmer must ensure that there is room for at least wcslen(dest)+n+1 wide characters at dest.

RETURN VALUE

wcsncat() returns dest.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?wcsncat() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, C99.

SEE ALSO

`strncat(3)`, `wscat(3)`

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2019-03-06

WCSNCAT(3)