



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'wcsstr.3'

\$ man wcsstr.3

WCSSTR(3) Linux Programmer's Manual WCSSTR(3)

NAME

wcsstr - locate a substring in a wide-character string

SYNOPSIS

```
#include <wchar.h>

wchar_t *wcsstr(const wchar_t *haystack, const wchar_t *needle);
```

DESCRIPTION

The wcsstr() function is the wide-character equivalent of the strstr(3) function. It searches for the first occurrence of the wide-character string needle (without its terminating null wide character (L'\0')) as a substring in the wide-character string haystack.

RETURN VALUE

The wcsstr() function returns a pointer to the first occurrence of needle in haystack. It returns NULL if needle does not occur as a substring in haystack. Note the special case: If needle is the empty wide-character string, the return value is always haystack itself.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??
?Interface ? Attribute ? Value ?
??
?wcsstr() ? Thread safety ? MT-Safe ?
??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, C99.

SEE ALSO

`strstr(3)`, `wcschr(3)`

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2019-03-06

WCSSTR(3)