



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'wmemmove.3'***

**\$ man wmemmove.3**

WMEMMOVE(3)                      Linux Programmer's Manual                      WMEMMOVE(3)

**NAME**

wmemmove - copy an array of wide-characters

**SYNOPSIS**

```
#include <wchar.h>

wchar_t *wmemmove(wchar_t *dest, const wchar_t *src, size_t n);
```

**DESCRIPTION**

The wmemmove() function is the wide-character equivalent of the memmove(3) function. It copies n wide characters from the array starting at src to the array starting at dest. The arrays may overlap. The programmer must ensure that there is room for at least n wide characters at dest.

**RETURN VALUE**

wmemmove() returns dest.

**ATTRIBUTES**

For an explanation of the terms used in this section, see attributes(7).

??  
?Interface ? Attribute ? Value ?  
??  
?wmemmove() ? Thread safety ? MT-Safe ?  
??

**CONFORMING TO**

POSIX.1-2001, POSIX.1-2008, C99.

**SEE ALSO**

memmove(3), wmemcpy(3)

## COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2015-08-08

WMEMMOVE(3)