



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'xbrlapi.1'

\$ man xbrlapi.1

XBRLAPI(1) BrI API User's Manual XBRLAPI(1)

NAME

xbrlapi - X11 BrI API helper for Linux/Unix

SYNOPSIS

xbrlapi [option ...]

DESCRIPTION

xbrlapi connects to a BrI API server in order to provide it with the ID of the X11 window which currently has focus. It also simulates X keysyms from braille key presses (else brltty would simulate them using a qwerty keyboard). By default, it puts itself in the background, unless option -n is given.

OPTIONS

Options are processed sequentially from left to right. If an option is specified more than once, or in case of a conflict, the rightmost specification takes precedence.

The following options are supported:

-b [host][:port] (--brlapi=)

The BrI API server to connect to.

-a string (--auth=)

The BrI API authorization/authentication string.

-d display (--display=)

The X display to connect to. If not specified, the content of the DISPLAY environment variable is used.

-n (--no-daemon)

Keep xbrlapi in the foreground.

-q (--quiet)

Do not write any text to the braille device.

-h (--help)

Print a command line usage summary and then exit.

-H (--full-help)

Print a thorough command line usage summary and then exit.

SEE ALSO

For more details on the purpose of xbrlapi, see BrlAPI's on-line manual at
[<http://brltty.app/doc/Manual-BrlAPI/English/BrlAPI-3.html>].

BrlAPI 0.8.3

September 2021

XBRLAPI(1)