MyWebUniversity







Full credit is given to the above companies including the OS that this TDF file was generated!

PowerShell Get-Help on command 'Disable-NetAdapterChecksumOffload'

PS C:\Users\wahid> Get-Help Disable-NetAdapterChecksumOffload

NAME

Disable-NetAdapterChecksumOffload

SYNOPSIS

Disables the selected checksum offloads on the network adapter.

SYNTAX

Disable-NetAdapterChecksumOffload [-Name] <String[]> [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-IncludeHidden] [-IpIPv4] [-NoRestart] [-PassThru] [-TcpIPv4] [-TcpIPv6] [-ThrottleLimit <Int32>] [-UdpIPv4] [-UdpIPv6] [-WhatIf] [<CommonParameters>]

Disable-NetAdapterChecksumOffload [-AsJob] [-CimSession <CimSession[]>]
[-Confirm] [-IncludeHidden] -InterfaceDescription <String[]> [-IpIPv4]
[-NoRestart] [-PassThru] [-TcpIPv4] [-TcpIPv6] [-ThrottleLimit <Int32>]
[-UdpIPv4] [-UdpIPv6] [-WhatIf] [<CommonParameters>]

Disable-NetAdapterChecksumOffload [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -InputObject <CimInstance[]> [-IpIPv4] [-NoRestart] [-PassThru] [-TcpIPv4] [-TcpIPv6] [-ThrottleLimit <Int32>] [-UdpIPv4] [-UdpIPv6] [-WhatIf]

DESCRIPTION

The Disable-NetAdapterChecksumOffload cmdlet disables the selected checksum offloads on the network adapter. When specified, IPv4, TCPv4, and TCPv6 checksums can be disabled. If none of these parameters are passed into this cmdlet, then by default all of the checksums for this adapter are disabled. Physical network adapters have various checksum offloads in which the checksum calculations occur in the network adapter and not in the main processor. This reduces processor utilization and can increase network throughput. This cmdlet disables the various checksum offload settings, including IPv4, TCPv4, TCPv6, UDPv4, and UDPv6. Disabling checksum offload will also disable other stateless offloading including Receive Side Scaling (RSS), Receive Segment Coalescing (RSC) and Large Send Offload (LSO).

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete. The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job completes. To manage the job, use the `*-Job` cmdlets. To get the job results, use the Receive-Job (https://go.microsoft.com/fwlink/?LinkID=113372)cmdlet. For more information about Windows PowerShellr background jobs, see about_Jobs (https://go.microsoft.com/fwlink/?LinkID=113251).

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (https://go.microsoft.com/fwlink/p/?LinkId=227967) or

The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-IncludeHidden [<SwitchParameter>]

Indicates that the cmdlet includes both visible and hidden network adapters in the operation. By default only visible network adapters are included. If a wildcard character is used in identifying a network adapter and this parameter has been specified, then the wildcard string is matched against both hidden and visible network adapters.

-InputObject <CimInstance[]>

Specifies the input to this cmdlet. You can use this parameter, or you can pipe the input to this cmdlet.

-InterfaceDescription <String[]>

Specifies an array of network adapter interface descriptions. For a physical network adapter this is typically the name of the vendor of the network adapter followed by a part number and description, such as `Contoso 12345 Gigabit Network Device`.

-IpIPv4 [<SwitchParameter>]

Indicates that the cmdlet disables IPv4 checksum offloading.

-Name <String[]>

Specifies an array of network adapter names.

-NoRestart [<SwitchParameter>]

Indicates that the cmdlet does not restart the network adapter after completing the operation. Many advanced properties require restarting the network adapter before the new settings take effect.

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

-TcpIPv4 [<SwitchParameter>]

Indicates that the cmdlet disables TCP IPv4 checksum offloading.

-TcpIPv6 [<SwitchParameter>]

Indicates that the cmdlet disables TCP IPv6 checksum offloading.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShellr calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-UdpIPv4 [<SwitchParameter>]

Indicates that the cmdlet disables UDP IPv4 checksum offloading.

-UdpIPv6 [<SwitchParameter>]

Indicates that the cmdlet disables UDP IPv6 checksum offloading.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,
ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (https://go.microsoft.com/fwlink/?LinkID=113216).

Example 1: Disable TCP/IPv6 checksum offload on all network adapters then restart them

PS C:\> Disable-NetAdapterChecksumOffload -Name "*" -TcpIPv6

This command disables TCP/IPv6 checksum offload on all network adapters and restarts the network adapters.

REMARKS

To see the examples, type: "get-help Disable-NetAdapterChecksumOffload -examples".

For more information, type: "get-help Disable-NetAdapterChecksumOffload -detailed".

For technical information, type: "get-help Disable-NetAdapterChecksumOffload -full".

For online help, type: "get-help Disable-NetAdapterChecksumOffload -online"