



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Disable-NetIPHttpsProfile'

PS C:\Users\wahid> Get-Help Disable-NetIPHttpsProfile

NAME

Disable-NetIPHttpsProfile

SYNOPSIS

Disables the currently active IP-HTTPS profile.

SYNTAX

```
Disable-NetIPHttpsProfile [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
[-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Disable-NetIPHttpsProfile cmdlet disables the currently active IP-HTTPS profile.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

`-CimSession <CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet`. The default is the current session on the local computer.

`-Confirm [<SwitchParameter>]`

Prompts you for confirmation before running the cmdlet.

`-ThrottleLimit <Int32>`

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

`-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

`<CommonParameters>`

This cmdlet supports the common parameters: `Verbose`, `Debug`, `ErrorAction`, `ErrorVariable`, `WarningAction`, `WarningVariable`, `OutBuffer`, `PipelineVariable`, and `OutVariable`. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Disable IP-HTTPS profile -----

```
PS C:\>Disable-NetIPHttpsProfile
```

This command disables the currently active IP-HTTPS profile.

REMARKS

To see the examples, type: "get-help Disable-NetIPHttpsProfile -examples".

For more information, type: "get-help Disable-NetIPHttpsProfile -detailed".

For technical information, type: "get-help Disable-NetIPHttpsProfile -full".

For online help, type: "get-help Disable-NetIPHttpsProfile -online"