



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Disable-OdbcPerfCounter'

PS C:\Users\wahid> Get-Help Disable-OdbcPerfCounter

NAME

Disable-OdbcPerfCounter

SYNOPSIS

Disables connection pooling Performance Monitor counters.

SYNTAX

```
Disable-OdbcPerfCounter [-InputObject] < CimInstance[] > [-AsJob] [-CimSession  
< CimSession[] >] [-Confirm] [-PassThru] [-ThrottleLimit < Int32 >] [-WhatIf]  
[< CommonParameters >]
```

```
Disable-OdbcPerfCounter [[-Platform] {32-bit | 64-bit | All}] [-AsJob]  
[-CimSession < CimSession[] >] [-Confirm] [-PassThru] [-ThrottleLimit < Int32 >]  
[-WhatIf] [< CommonParameters >]
```

DESCRIPTION

The Disable-OdbcPerfCounter cmdlet disables the Open Database Connectivity (ODBC) connection pooling Performance Monitor counters for ODBC connection pooling.

For more information about ODBC and performance counters, see Microsoft Open Database Connectivity (ODBC) (<https://msdn.microsoft.com/en-us/library/ms710252.aspx>) and [ODBC Performance Counters](<https://msdn.microsoft.com/en-us/library/windows/desktop/ms709288.aspx>) on the Microsoft Developer Network.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

-Platform <String>

Specifies the platform architecture. This cmdlet disables the ODBC connection pooling Performance Monitor counters that belong to the

architecture that the parameter specifies. The acceptable values for this parameter are:

- 32-bit

- 64-bit

- All

If you run this cmdlet in a remote CIM session, this parameter refers to the platform architecture on the remote computer.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

- Example 1: Disable Performance Counter on a 32-bit platform -

```
PS C:\> Disable-OdbcPerfCounter -Platform "32-bit"
```

This command disables the ODBC Performance Counter setting on a 32-bit platform.

---- Example 2: Disable Performance Counter both platforms ----

```
PS C:\> Disable-OdbcPerfCounter -Platform "All"
```

This command disables the ODBC Performance Counter setting on both 32-bit and 64-bit platforms.

Example 3: Enable and disable Performance Counter on a 32-bit platform

```
PS C:\> $PerfCounter = Enable-OdbcPerfCounter -Platform "32-bit" -PassThru
```

```
PS C:\> Disable-OdbcPerfCounter -InputObject $PerfCounter
```

The first command enables the ODBC Performance Counter setting on 32-bit platform, and then stores the result in the `$PerfCounter` variable. After you run the first command, you can run ODBC applications that use pooling.

The second command disables the ODBC Performance Counter setting specified by `$PerfCounter`.

REMARKS

To see the examples, type: "get-help Disable-OdbcPerfCounter -examples".

For more information, type: "get-help Disable-OdbcPerfCounter -detailed".

For technical information, type: "get-help Disable-OdbcPerfCounter -full".

For online help, type: "get-help Disable-OdbcPerfCounter -online"