



python



PowerShell

**FPDF Library**  
PDF generator

*Full credit is given to the above companies including the OS that this PDF file was generated!*

### **PowerShell Get-Help on command 'Disable-ScheduledTask'**

**PS C:\Users\wahid> Get-Help Disable-ScheduledTask**

#### **NAME**

Disable-ScheduledTask

#### **SYNOPSIS**

Disables a scheduled task.

#### **SYNTAX**

```
Disable-ScheduledTask [-InputObject]  
<Microsoft.Management.Infrastructure.CimInstance> [-AsJob] [-CimSession  
<Microsoft.Management.Infrastructure.CimSession[]>] [-ThrottleLimit  
<System.Int32>] [<CommonParameters>]
```

```
Disable-ScheduledTask [-TaskName] <System.String> [[-TaskPath]  
<System.String>] [-AsJob] [-CimSession  
<Microsoft.Management.Infrastructure.CimSession[]>] [-ThrottleLimit  
<System.Int32>] [<CommonParameters>]
```

#### **DESCRIPTION**

The `Disable-ScheduledTask` cmdlet disables a scheduled task.

## PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <Microsoft.Management.Infrastructure.CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/?LinkId=227967>) or Get-CimSession (<https://go.microsoft.com/fwlink/?LinkId=227966>) cmdlet. The default is the current session on the local computer.

-InputObject <Microsoft.Management.Infrastructure.CimInstance>

Specifies the input object that is used in a pipeline command.

-TaskName <System.String>

Specifies the name of a scheduled task.

-TaskPath <System.String>

Specifies an array of one or more paths for scheduled tasks in Task Scheduler namespace. You can use ` for a wildcard character query. You can use `` for the root folder. To specify a full TaskPath \* you need to include the leading and trailing ``. If you do not specify a path, the cmdlet uses the root folder.

-ThrottleLimit <System.Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet,

not to the session or to the computer.

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

#### ----- Example 1: Disable a scheduled task -----

Disable-ScheduledTask -TaskName 'SystemScan'

TaskPath	TaskName	State
-----	-----	-----
\	SystemScan	Disabled

This command disables the SystemScan task in the root folder.

#### ----- Example 2: Disable all scheduled tasks in a folder -----

Get-ScheduledTask -TaskPath '\UpdateTasks\' | Disable-ScheduledTask

TaskPath	TaskName	State
-----	-----	-----
\UpdateTasks\	UpdateApps	Disabled
\UpdateTasks\	UpdateDrivers	Disabled

This command uses the `Get-Scheduledtask` cmdlet to get all scheduled tasks in the `'\UpdateTasks` folder. The command pipes this information to the `Disable-ScheduledTasks` cmdlet, which disables these scheduled tasks.

#### REMARKS

To see the examples, type: "get-help Disable-ScheduledTask -examples".

For more information, type: "get-help Disable-ScheduledTask -detailed".

For technical information, type: "get-help Disable-ScheduledTask -full".

For online help, type: "get-help Disable-ScheduledTask -online"