



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Disable-TpmAutoProvisioning'

PS C:\Users\wahid> Get-Help Disable-TpmAutoProvisioning

NAME

Disable-TpmAutoProvisioning

SYNOPSIS

Disables TPM auto-provisioning.

SYNTAX

Disable-TpmAutoProvisioning [-OnlyForNextRestart] [<CommonParameters>]

DESCRIPTION

The Disable-TpmAutoProvisioning cmdlet disables Trusted Platform Module (TPM) auto-provisioning. Provisioning is the process of preparing a TPM to be used. You can disable provisioning completely or only for the next restart. You can use the Enable-TpmAutoProvisioning cmdlet to enable auto-provisioning.

For more information on TPM, see Trusted Platform Module Technology Overview ([/windows/security/information-protection/tpm/trusted-platform-module-overview](https://windows/security/information-protection/tpm/trusted-platform-module-overview)).

PARAMETERS

-OnlyForNextRestart [<SwitchParameter>]

Indicates that the cmdlet disables auto-provisioning only for the next computer restart. During the restart after that, auto-provisioning begins.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Disable auto-provisioning -----

```
PS C:\> Disable-TpmAutoProvisioning
```

```
TpmReady      : False
```

```
TpmPresent    : True
```

```
ManagedAuthLevel : Full
```

```
OwnerAuth     : OwnerClearDisabled : True
```

```
AutoProvisioning : Disabled
```

```
LockedOut     : False
```

```
SelfTest      : {191, 191, 245, 191...}
```

This command disables TPM auto-provisioning. You can use the `Enable-TpmAutoProvisioning` cmdlet to enable auto-provisioning.

---- Example 2: Disable auto-provisioning for next restart ----

```
PS C:\> Disable-TpmAutoProvisioning -OnlyForNextRestart
```

```
TpmReady      : False
```

```
TpmPresent    : True
```

```
ManagedAuthLevel : Full
```

```
OwnerAuth     : OwnerClearDisabled : True
```

```
AutoProvisioning : DisabledForNextBoot
```

```
LockedOut     : False
```

SelfTest : {191, 191, 245, 191...}

This command disables TPM auto-provisioning for the next restart. In the next restart after that, auto-provisioning continues.

REMARKS

To see the examples, type: "get-help Disable-TpmAutoProvisioning -examples".

For more information, type: "get-help Disable-TpmAutoProvisioning -detailed".

For technical information, type: "get-help Disable-TpmAutoProvisioning -full".

For online help, type: "get-help Disable-TpmAutoProvisioning -online"