



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Enable-NetDnsTransitionConfiguration'

PS C:\Users\wahid> Get-Help Enable-NetDnsTransitionConfiguration

NAME

Enable-NetDnsTransitionConfiguration

SYNOPSIS

Enables the DNS64 configuration on a computer.

SYNTAX

```
Enable-NetDnsTransitionConfiguration [-Adapter <CimInstance>] [-AsJob]
[-CimSession <CimSession[]>] [-Confirm] [-PassThru] [-ThrottleLimit <Int32>]
[-WhatIf] [<CommonParameters>]
```

```
Enable-NetDnsTransitionConfiguration [-AsJob] [-CimSession <CimSession[]>]
[-Confirm] -InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>]
[-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Enable-NetDnsTransitionConfiguration makes the DNS64 configuration effective on a computer.

PARAMETERS

-Adapter <CimInstance>

Specifies the network adapter on which to enable the DNS64.

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/?LinkId=227966>) cmdlet.
The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

----- Example 1: Enable the DNS64 configuration -----

```
PS C:\>Enable-NetDnsTransitionConfiguration
```

This command makes the DNS64 configuration effective.

REMARKS

To see the examples, type: "get-help Enable-NetDnsTransitionConfiguration -examples".

For more information, type: "get-help Enable-NetDnsTransitionConfiguration -detailed".

For technical information, type: "get-help Enable-NetDnsTransitionConfiguration -full".

For online help, type: "get-help Enable-NetDnsTransitionConfiguration -online"