



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Get-ClusteredScheduledTask'

PS C:\Users\wahid> Get-Help Get-ClusteredScheduledTask

NAME

Get-ClusteredScheduledTask

SYNOPSIS

Gets clustered scheduled tasks for a failover cluster.

SYNTAX

```
Get-ClusteredScheduledTask [[-TaskName] <String>] [[-Cluster] <String>]
[[-TaskType] {ResourceSpecific | AnyNode | ClusterWide}] [-AsJob] [-CimSession
<CimSession[]>] [-ThrottleLimit <Int32>] [<CommonParameters>]
```

DESCRIPTION

The Get-ClusteredScheduledTask cmdlet gets the clustered scheduled tasks registered on a failover cluster. You can specify task name or task type.

For more information about the Windows Server 2012 Task Scheduler, see the Task Scheduler Overview

(<https://technet.microsoft.com/en-us/library/cc721871.aspx>) topic in the

TechNet Library at <http://technet.microsoft.com/en-us/library/cc721871.aspx>.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

`[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet.`

The default is the current session on the local computer.

-Cluster <String>

Specifies the name of a failover cluster. If you do not specify a cluster, the cmdlet uses the current node cluster name.

-TaskName <String>

Specifies a name of a scheduled task.

-TaskType <ClusterTaskTypeEnum>

Specifies a type for the task. The acceptable values for this parameter are:

- ResourceSpecific. Resource specific cluster nodes. - AnyNode. Active cluster nodes. - ClusterWide. All cluster nodes.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running

on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Get scheduled tasks -----

```
PS C:\> Get-ClusteredScheduledTask -TaskName "Task14" -Cluster "Cluster73"
```

This command gets the task named Task14 on the cluster named Cluster73.

REMARKS

To see the examples, type: "get-help Get-ClusteredScheduledTask -examples".

For more information, type: "get-help Get-ClusteredScheduledTask -detailed".

For technical information, type: "get-help Get-ClusteredScheduledTask -full".

For online help, type: "get-help Get-ClusteredScheduledTask -online"