python   PowerShell   FPDF Library
                                      PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Get-DAClientExperienceConfiguration'

PS C:\Users\wahid> Get-Help Get-DAClientExperienceConfiguration

NAME

    Get-DAClientExperienceConfiguration

SYNOPSIS

    Gets the configuration for the DirectAccess client user experience.

SYNTAX

    Get-DAClientExperienceConfiguration [-AsJob] [-CimSession <CimSession[]>]

    [-GPOSession <String>] [-PolicyStore <String>] [-ThrottleLimit <Int32>]

    [<CommonParameters>]

DESCRIPTION

    The Get-DAClientExperienceConfiguration cmdlet gets the configuration for the

    DirectAccess client user experience. The configuration controls the user

    interface behavior, as well as what configuration options are available to the

    user.

    All DAClientExperienceConfiguration cmdlets have an ADMX file that can also be

    used to configure the client experience settings.

PARAMETERS

  -AsJob [<SwitchParameter>]

    Runs the cmdlet as a background job. Use this parameter to run commands

    that take a long time to complete.

    The cmdlet immediately returns an object that represents the job and then

    displays the command prompt. You can continue to work in the session

    while the job completes. To manage the job, use the `*-Job` cmdlets. To

    get the job results, use the Receive-Job

    (https://go.microsoft.com/fwlink/?LinkID=113372)cmdlet.

    For more information about Windows PowerShell background jobs, see

    about_Jobs (https://go.microsoft.com/fwlink/?LinkID=113251).

  -CimSession <CimSession[]>

    Runs the cmdlet in a remote session or on a remote computer. Enter a

    computer name or a session object, such as the output of a New-CimSession

    (https://go.microsoft.com/fwlink/p/?LinkId=227967) or

    [Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet.

    The default is the current session on the local computer.

  -GPOSession <String>

    Specifies the Group Policy session from which to read client experience

    configuration information. You can use GPOSession with the NetGPO cmdlets

    to aggregate multiple operations performed on a Group Policy Object.

    GPOSession cannot be used in conjunction with PolicyStore .

  -PolicyStore <String>

    Specifies the policy store from which the cmdlet reads the client

    experience configuration information.

To read the client experience configuration information from a Group Policy Object, specify the GPO name using the format "Domain\GPOName".

To read the client experience configuration information from a computer's local GPO, specify the computer's local GPO name in the format "GPO:<computername>". PolicyStore cannot be used in conjunction with GPOSession .

The default value for PolicyStore is ActiveStore.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShellr calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (https:/go.microsoft.com/fwlink/?LinkID=113216).

Example 1: Get the DirectAccess client experience configuration from the active store

PS C:\> Get-DAClientExperienceConfiguration -PolicyStore "ActiveStore"

This cmdlet gets the DirectAccess client experience configuration from the active policy store.

REMARKS

To see the examples, type: "get-help Get-DAClientExperienceConfiguration

-examples".

For more information, type: "get-help Get-DAClientExperienceConfiguration

-detailed".

For technical information, type: "get-help Get-DAClientExperienceConfiguration

-full".

For online help, type: "get-help Get-DAClientExperienceConfiguration -online"