



python



PowerShell

FPDF Library  
PDF generator

*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***PowerShell Get-Help on command 'Get-DedupProperties'***

***PS C:\Users\wahid> Get-Help Get-DedupProperties***

#### NAME

Get-DedupProperties

#### SYNOPSIS

Gets Data Deduplication information.

#### SYNTAX

Get-DedupProperties [-DriveLetter] <Char[]> [-AsJob] [-CimSession  
<CimSession[]>] [-ThrottleLimit <Int32>] [<CommonParameters>]

Get-DedupProperties [-AsJob] [-CimSession <CimSession[]>] -FileSystemLabel  
<String[]> [-ThrottleLimit <Int32>] [<CommonParameters>]

Get-DedupProperties [-AsJob] [-CimSession <CimSession[]>] -InputObject  
<CimInstance[]> [-ThrottleLimit <Int32>] [<CommonParameters>]

Get-DedupProperties [-AsJob] [-CimSession <CimSession[]>] -ObjectId <String[]>  
[-ThrottleLimit <Int32>] [<CommonParameters>]

Get-DedupProperties [-AsJob] [-CimSession <CimSession[]>] -Path <String[]>

[-ThrottleLimit <Int32>] [<CommonParameters>]

## DESCRIPTION

The Get-DedupProperties cmdlet gets Data Deduplication information.

## PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

-DriveLetter <Char[]>

Specifies the drive letter of the volume for which to get Data Deduplication information.

-FileSystemLabel <String[]>

Specifies the volume name for which to get Data Deduplication information.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-ObjectId <String[]>

Specifies the input to this cmdlet. You can use this parameter, or you can pipe the input to this cmdlet.

**-Path <String[]>**

Specifies the volume path for which to get Data Deduplication information.

**-ThrottleLimit <Int32>**

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

**<CommonParameters>**

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Get Data Deduplication information. -----

```
PS C:\>Get-DedupProperties -DriveLetter C
```

This command gets Data Deduplication information for the C\ drive.

#### REMARKS

To see the examples, type: "get-help Get-DedupProperties -examples".

For more information, type: "get-help Get-DedupProperties -detailed".

For technical information, type: "get-help Get-DedupProperties -full".

For online help, type: "get-help Get-DedupProperties -online"