



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Get-DtcTransaction'

PS C:\Users\wahid> Get-Help Get-DtcTransaction

NAME

Get-DtcTransaction

SYNOPSIS

Gets information about transactions being handled by the DTC instance.

SYNTAX

```
Get-DtcTransaction [-AsJob] [-CimSession <CimSession[]>] [-DtcName <String>]
[-ThrottleLimit <Int32>] [<CommonParameters>]
```

DESCRIPTION

The Get-DtcTransaction cmdlet gets information about transactions being handled by the Distributed Transaction Coordinator (DTC) instance. Use the DtcName parameter to specify the DTC instance.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands

that take a long time to complete.

The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job completes. To manage the job, use the ``*-Job`` cmdlets. To get the job results, use the `Receive-Job` (<https://go.microsoft.com/fwlink/?LinkID=113372>) cmdlet.

For more information about Windows PowerShell background jobs, see `about_Jobs` (<https://go.microsoft.com/fwlink/?LinkID=113251>).

`-CimSession <CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession]` (<https://go.microsoft.com/fwlink/p/?LinkId=227966>) cmdlet. The default is the current session on the local computer.

`-DtcName <String>`

Specifies a DTC instance. The cmdlet gets transaction information for this DTC instance. If you do not specify this parameter, or if you specify a value of `Local`, this cmdlet gets the information for transactions handled by the local DTC instance.

`-ThrottleLimit <Int32>`

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of ``0`` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Get DTC transactions -----

```
PS C:\> Get-DtcTransaction -DtcName "Local"
TransactionId : b61f99fd-3c83-451c-9d92-4e790ca59585
Description   : xxxxxxxxxx
State        : Active
IsolationLevel : 0
Parent       :
```

This command queries the transactions handled by the local DTC instance.

REMARKS

To see the examples, type: "get-help Get-DtcTransaction -examples".

For more information, type: "get-help Get-DtcTransaction -detailed".

For technical information, type: "get-help Get-DtcTransaction -full".

For online help, type: "get-help Get-DtcTransaction -online"