PowerShell Get-Help on command 'Get-DtcTransactionsTraceSession'

PS C:\Users\wahid> Get-Help Get-DtcTransactionsTraceSession

NAME

    Get-DtcTransactionsTraceSession

SYNOPSIS

    Gets the DTC transactions trace session specific setting of the host.

SYNTAX

    Get-DtcTransactionsTraceSession [-AsJob] [-CimSession <CimSession[]>]

    [-ThrottleLimit <Int32>] [<CommonParameters>]

DESCRIPTION

    The Get-DtcTransactionsTraceSession cmdlet gets the Distributed Transaction

    Coordinator (DTC) transactions trace session specific setting of the host. All

    DTC instances on a single host share trace settings.

PARAMETERS

    -AsJob [<SwitchParameter>]

      Runs the cmdlet as a background job. Use this parameter to run commands

that take a long time to complete.

The cmdlet immediately returns an object that represents the job and then
displays the command prompt. You can continue to work in the session
while the job completes. To manage the job, use the `*-Job` cmdlets. To
get the job results, use the Receive-Job
(https://go.microsoft.com/fwlink/?LinkID=113372)cmdlet.

For more information about Windows PowerShell background jobs, see
about_Jobs (https://go.microsoft.com/fwlink/?LinkID=113251).

-CimSession <CimSession[]>
    Runs the cmdlet in a remote session or on a remote computer. Enter a
    computer name or a session object, such as the output of a New-CimSession
    (https://go.microsoft.com/fwlink/p/?LinkId=227967) or
    [Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet.
    The default is the current session on the local computer.

-ThrottleLimit <Int32>
    Specifies the maximum number of concurrent operations that can be
    established to run the cmdlet. If this parameter is omitted or a value of
    `0` is entered, then Windows PowerShellr calculates an optimum throttle
    limit for the cmdlet based on the number of CIM cmdlets that are running
    on the computer. The throttle limit applies only to the current cmdlet,
    not to the session or to the computer.

<CommonParameters>
    This cmdlet supports the common parameters: Verbose, Debug,
    ErrorAction, ErrorVariable, WarningAction, WarningVariable,
    OutBuffer, PipelineVariable, and OutVariable. For more information, see
    about_CommonParameters (https:/go.microsoft.com/fwlink/?LinkID=113216).

-------- Example 1: Get DTC transactions trace session --------

PS C:\> Get-DtcTransactionsTraceSession

BufferCount SessionStatus   PSComputerName

----------- -------------   --------------

25   Stopped

This command queries the summary of transactions trace session on the local

host.

REMARKS

   To see the examples, type: "get-help Get-DtcTransactionsTraceSession

   -examples".

   For more information, type: "get-help Get-DtcTransactionsTraceSession

   -detailed".

   For technical information, type: "get-help Get-DtcTransactionsTraceSession

   -full".

   For online help, type: "get-help Get-DtcTransactionsTraceSession -online"