



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Get-NetAdapterUso'

PS C:\Users\wahid> Get-Help Get-NetAdapterUso

NAME

Get-NetAdapterUso

SYNOPSIS

Gets the USO properties of the network adapter.

SYNTAX

```
Get-NetAdapterUso [-AsJob] [-CimSession <CimSession[]>] [-IncludeHidden]
-InterfaceDescription <String[]> [-ThrottleLimit <Int32>] [<CommonParameters>]
```

```
Get-NetAdapterUso [[-Name] <String[]>] [-AsJob] [-CimSession <CimSession[]>]
[-IncludeHidden] [-ThrottleLimit <Int32>] [<CommonParameters>]
```

DESCRIPTION

The Get-NetAdapterUso cmdlet gets the UDP Segmentation Offload (USO) that enables network interface cards (NICs) to offload the segmentation of UDP datagrams that are larger than the maximum transmission unit (MTU) of the network medium. By doing so, Windows reduces CPU utilization associated with per-packet TCP/IP processing. For more information, see UDP Segmentation

Offload (USO)

(/windows-hardware/drivers/network/udp-segmentation-offload-uso-).

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete. The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job completes. To manage the job, use the ``*-Job`` cmdlets. To get the job results, use the `Receive-Job` (<https://go.microsoft.com/fwlink/?LinkID=113372>) cmdlet. For more information about Windows PowerShell background jobs, see `about_Jobs` (<https://go.microsoft.com/fwlink/?LinkID=113251>).

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession]` (<https://go.microsoft.com/fwlink/p/?LinkId=227966>) cmdlet. The default is the current session on the local computer.

-IncludeHidden [<SwitchParameter>]

Indicates that this cmdlet includes both visible and hidden network adapters. By default only visible network adapters are included. If a wildcard character is used in identifying a network adapter and this parameter has been specified, then the wildcard string is matched against both hidden and visible network adapters.

-InterfaceDescription <String[]>

Specifies an array of network adapter interface descriptions. For a physical network adapter this is typically the name of the vendor of the network adapter followed by a part number and description, such as

`Contoso 12345 Gigabit Network Device`.

`-Name <String[]>`

Specifies an array of network adapter names.

`-ThrottleLimit <Int32>`

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

`<CommonParameters>`

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

Example 1: Get the USO properties for the specified network adapter

```
PS> Get-NetAdapterUso -Name "MyAdapter"
```

This command gets the USO properties of the network adapter named MyAdapter.

Example 2: Display all the USO properties for the specified network adapter

```
PS> Get-NetAdapterUso -Name "MyAdapter" | Format-List -Property "**"
```

This command displays all of the USO properties of the network adapter named MyAdapter.

-- Example 3: Get all network adapters that have USO enabled --

```
PS> Get-NetAdapterUso -Name "*" | Where-Object -FilterScript { $_.Enabled }
```

This command gets all network adapters with USO enabled.

REMARKS

To see the examples, type: "get-help Get-NetAdapterUso -examples".

For more information, type: "get-help Get-NetAdapterUso -detailed".

For technical information, type: "get-help Get-NetAdapterUso -full".

For online help, type: "get-help Get-NetAdapterUso -online"