MyWebUniversity*







Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Get-NetAdapterVmq'

PS C:\Users\wahid> Get-Help Get-NetAdapterVmg

NAME

Get-NetAdapterVmq

SYNOPSIS

Gets the VMQ properties of a network adapter.

SYNTAX

Get-NetAdapterVmq [-AsJob] [-CimSession < CimSession[]>] [-IncludeHidden] -InterfaceDescription < String[]> [-ThrottleLimit < Int32>] [< CommonParameters>]

Get-NetAdapterVmq [[-Name] <String[]>] [-AsJob] [-CimSession <CimSession[]>] [-IncludeHidden] [-ThrottleLimit <Int32>] [<CommonParameters>]

DESCRIPTION

The Get-NetAdapterVmq cmdlet gets the virtual machine queue (VMQ) properties of VMQ-capable network adapters. VMQ is a scaling networking technology for vmswitch that hashes incoming packets based on the destination MAC address.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete. The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job completes. To manage the job, use the `*-Job` cmdlets. To get the job results, use the Receive-Job (https://go.microsoft.com/fwlink/?LinkID=113372)cmdlet. For more information about Windows PowerShellr background jobs, see about_Jobs (https://go.microsoft.com/fwlink/?LinkID=113251).

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (https://go.microsoft.com/fwlink/p/?LinkId=227967) or [Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet. The default is the current session on the local computer.

-IncludeHidden [<SwitchParameter>]

Indicates that the cmdlet includes both visible and hidden network adapters in the operation. By default only visible network adapters are included. If a wildcard character is used in identifying a network adapter and this parameter has been specified, then the wildcard string is matched against both hidden and visible network adapters.

-InterfaceDescription <String[]>

Specifies an array of network adapter interface descriptions. For a physical network adapter this is typically the name of the vendor of the network adapter followed by a part number and description, such as `Contoso 12345 Gigabit Network Device`.

-Name <String[]>

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShellr calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,
ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (https://go.microsoft.com/fwlink/?LinkID=113216).

Example 1: Get VMQ properties from the specified network adapter

PS C:\> Get-NetAdapterVmq -Name "GuestTrafficAdapter"

This command gets the VMQ properties of the network adapter named GuestTrafficAdapter.

Example 2: Get all VMQ properties from the specified network adapter

PS C:\> Get-NetAdapterVmq -Name "GuestTrafficAdapter" | Format-List -Property

This command displays all of the VMQ properties of the network adapter named GuestTrafficAdapter.

Example 3: Get all VMQ capable network adapters where VMQ is enabled

PS C:\> Get-NetAdapterVmq -Name "*" | Where-Object -FilterScript { \$_.Enabled }

REMARKS

To see the examples, type: "get-help Get-NetAdapterVmq -examples".

For more information, type: "get-help Get-NetAdapterVmq -detailed".

For technical information, type: "get-help Get-NetAdapterVmq -full".

For online help, type: "get-help Get-NetAdapterVmq -online"