



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Get-NetEventVFPPProvider'

PS C:\Users\wahid> Get-Help Get-NetEventVFPPProvider

NAME

Get-NetEventVFPPProvider

SYNOPSIS

Gets a VFP provider for network events.

SYNTAX

```
Get-NetEventVFPPProvider [-AsJob] [-AssociatedEventSession <CimInstance>]  
[-CimSession <CimSession[]>] [-ThrottleLimit <Int32>] [<CommonParameters>]
```

```
Get-NetEventVFPPProvider [[-SessionName] <String[]>] [-AsJob] [-CimSession  
<CimSession[]>] [-ThrottleLimit <Int32>] [<CommonParameters>]
```

DESCRIPTION

The Get-NetEventVFPPProvider cmdlet gets a Virtual Filtering Platform (VFP) provider for network events.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-AssociatedEventSession <CimInstance>

Specifies the associated network event session, as a CIM object. To obtain the network event session, use the `Get-NetEventSession` cmdlet.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)` cmdlet. The default is the current session on the local computer.

-SessionName <String[]>

Specifies names of sessions associated with the `NetEventVFPPProvider` instances to get. This parameter has the same value as the `Name` parameter for the `New-NetEventSession` cmdlet.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of ``0`` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

<CommonParameters>

This cmdlet supports the common parameters: `Verbose`, `Debug`, `ErrorAction`, `ErrorVariable`, `WarningAction`, `WarningVariable`, `OutBuffer`, `PipelineVariable`, and `OutVariable`. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Get a VFP provider -----

```
Get-NetEventVFPPProvider -SessionName Session01
```

This command gets the VFP provider associated with `Session01`.

REMARKS

To see the examples, type: "get-help Get-NetEventVFPPProvider -examples".

For more information, type: "get-help Get-NetEventVFPPProvider -detailed".

For technical information, type: "get-help Get-NetEventVFPPProvider -full".

For online help, type: "get-help Get-NetEventVFPPProvider -online"