



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Get-NetIPHttpsConfiguration'

PS C:\Users\wahid> Get-Help Get-NetIPHttpsConfiguration

NAME

Get-NetIPHttpsConfiguration

SYNOPSIS

Gets the IP-HTTPS configuration from a computer or a GPO.

SYNTAX

```
Get-NetIPHttpsConfiguration [-AsJob] [-CimSession <CimSession[]>] [-GPOSession  
<String>] [-Profile <String[]>] [-ProfileActivated <Boolean[]>]  
[-ThrottleLimit <Int32>] [<CommonParameters>]
```

```
Get-NetIPHttpsConfiguration [-AsJob] [-CimSession <CimSession[]>]  
[-PolicyStore <String>] [-Profile <String[]>] [-ProfileActivated <Boolean[]>]  
[-ThrottleLimit <Int32>] [<CommonParameters>]
```

DESCRIPTION

The Get-NetIPHttpsConfiguration cmdlet gets the IP-HTTPS configuration from a computer or a Group Policy Object (GPO).

You can also use `Get-NetIPHttpsConfiguration` to retrieve the IP-HTTPS configuration, and then use the configuration information as input into other cmdlets.

PARAMETERS

`-AsJob` [`<SwitchParameter>`]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

`-CimSession` `<CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet`. The default is the current session on the local computer.

`-GPOSession` `<String>`

Specifies the Group Policy session from which to get the configuration information.

You can use this parameter with the `NetGPO` cmdlets to aggregate multiple operations performed on a GPO.

You cannot use this parameter with the `PolicyStore` parameter.

`-PolicyStore` `<String>`

Specifies the policy store from which to get the configuration. The default store is `ActiveStore`. The acceptable values for this parameter are:

- `ActiveStore`

- `PersistentStore`

- GPO

To get the configuration of a GPO, specify the GPO name using the following format: Domain\GPOName

You cannot use this parameter with the GPOSession parameter.

-Profile <String[]>

Filters the objects retrieved by the profile name.

-ProfileActivated <Boolean[]>

Filters the objects retrieved by profile status.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Get the IP-HTTPS configuration -----

PS C:\>Get-NetIPHttpsConfiguration

This command gets the IP-HTTPS configuration from a computer or a GPO.

REMARKS

To see the examples, type: "get-help Get-NetIPHttpsConfiguration -examples".

For more information, type: "get-help Get-NetIPHttpsConfiguration -detailed".

For technical information, type: "get-help Get-NetIPHttpsConfiguration -full".

For online help, type: "get-help Get-NetIPHttpsConfiguration -online"