



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Get-NetLbfoTeamMember'

PS C:\Users\wahid> Get-Help Get-NetLbfoTeamMember

NAME

Get-NetLbfoTeamMember

SYNOPSIS

Gets network adapters that are members of a NIC team.

SYNTAX

```
Get-NetLbfoTeamMember [[-Name] <String[]>] [[-Team] <String[]>] [-AsJob]
[-CimSession <CimSession[]>] [-ThrottleLimit <Int32>] [<CommonParameters>]
```

```
Get-NetLbfoTeamMember [-AsJob] [-CimSession <CimSession[]>] [-TeamOfTheMember
<CimInstance>] [-ThrottleLimit <Int32>] [<CommonParameters>]
```

DESCRIPTION

The Get-NetLbfoTeamMember cmdlet gets all network adapters (team members) of all NIC teams. You can also use Get-NetLbfoTeamMember to get the network adapters for a specified NIC team, and then use that object as input to other cmdlets.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet`. The default is the current session on the local computer.

-Name <String[]>

Specifies an array of names of team members. Wildcard characters are acceptable.

-Team <String[]>

Specifies the NIC team name (or wildcard pattern) for which the user wants to enumerate the members. If no team parameter is present, it returns all members specified by Name parameter from all teams on the system.

-TeamOfTheMember <CimInstance>

Specifies the NIC team object whose associated member objects you want to get.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Get members of a NIC team -----

```
PS C:\> Get-NetLbfoTeamMember -Team "Team1"
```

This command retrieves a list of team members for the NIC team named Team1.

----- Example 2: Get all members of all NIC teams -----

```
PS C:\> Get-NetLbfoTeamMember
```

This command retrieves a list of all team members of all NIC teams on the system.

----- Example 3: Get team members via associations -----

```
PS C:\> Get-NetLbfoTeam -Name "Team1" | Get-NetLbfoTeamMember
```

Or

```
PS C:\> $teamObj = Get-NetLbfoTeam -Name "Team1"
```

```
PS C:\> Get-NetLbfoTeamMember -TeamOfTheMember $teamObj
```

This command retrieves a list of all team members belonging to team named Team1.

REMARKS

To see the examples, type: "get-help Get-NetLbfoTeamMember -examples".

For more information, type: "get-help Get-NetLbfoTeamMember -detailed".

For technical information, type: "get-help Get-NetLbfoTeamMember -full".

For online help, type: "get-help Get-NetLbfoTeamMember -online"

