



python



PowerShell

FPDF Library  
PDF generator

*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***PowerShell Get-Help on command 'Get-NetSwitchTeam'***

***PS C:\Users\wahid> Get-Help Get-NetSwitchTeam***

#### NAME

Get-NetSwitchTeam

#### SYNOPSIS

Gets the extensible switch team.

#### SYNTAX

```
Get-NetSwitchTeam [-AsJob] [-CimSession <CimSession[]>] [-Member  
<CimInstance>] [-ThrottleLimit <Int32>] [<CommonParameters>]
```

```
Get-NetSwitchTeam [[-Name] <String[]>] [-AsJob] [-CimSession <CimSession[]>]  
[-ThrottleLimit <Int32>] [<CommonParameters>]
```

#### DESCRIPTION

The Get-NetSwitchTeam cmdlet gets the extensible switch team. If no parameter is specified, this cmdlet returns all of the switch teams on the server. The name may contain wildcard characters (\*) for matching. For example, T\*1 would match all of the team names beginning with T and ending with 1. Alternately the switch team may be identified by a switch team member.

## PARAMETERS

### -AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

### -CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

`[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet.`

The default is the current session on the local computer.

### -Member <CimInstance>

Specifies the member object of a network adapter in a switch team. This parameter is used instead of the switch team name.

### -Name <String[]>

Specifies the name of the extensible switch team. If no parameter is supplied, then this cmdlet returns all of the teams on the server.

This parameter may contain wildcard characters (\*) for matching. For example, `T*1` would match all of the team names beginning with T and ending with 1.

### -ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of ``0`` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

## <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Get a switch team -----

```
PS C:\> Get-NetSwitchTeam -Name "SwitchTeam01"
```

This command gets the switch team named SwitchTeam01.

----- Example 2: Get multiple switch teams -----

```
PS C:\> Get-NetSwitchTeam -Name "SwitchTeam*"
```

This example gets all of the switch teams with the name with the wildcard character matching SwitchTeam\*.

## REMARKS

To see the examples, type: "get-help Get-NetSwitchTeam -examples".

For more information, type: "get-help Get-NetSwitchTeam -detailed".

For technical information, type: "get-help Get-NetSwitchTeam -full".

For online help, type: "get-help Get-NetSwitchTeam -online"