



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Get-NetTeredoConfiguration'

PS C:\Users\wahid> Get-Help Get-NetTeredoConfiguration

NAME

Get-NetTeredoConfiguration

SYNOPSIS

Gets the Teredo configuration of a computer or a GPO.

SYNTAX

```
Get-NetTeredoConfiguration [-AsJob] [-CimSession <CimSession[]>] [-GPOSession <String>] [-IPInterface <CimInstance>] [-PolicyStore <String>] [-ThrottleLimit <Int32>] [<CommonParameters>]
```

DESCRIPTION

The Get-NetTeredoConfiguration cmdlet gets the Teredo configuration of a computer or a Group Policy Object (GPO).

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands

that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/?LinkId=227966>) cmdlet. The default is the current session on the local computer.

-GPOSession <String>

Specifies the Group Policy session from which to get the Teredo configuration information.

You can use this parameter with the NetGPO cmdlets to aggregate multiple operations performed on a GPO.

You cannot use this parameter with the PolicyStore parameter.

-IPInterface <CimInstance>

Specifies the interface for which to get the Teredo configuration. If the interface is not a Teredo interface, then the cmdlet does not return any Teredo configuration information.

-PolicyStore <String>

Specifies the policy store from which to retrieve the configuration. The acceptable values for this parameter are:

- PersistentStore

- ActiveStore

- GPO

The default value is ActiveStore.

To retrieve the configuration from a GPO, specify the GPO name using the following format: Domain\GPOName

You cannot use this parameter with the GPOSession parameter.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

---- Example 1: Get the Teredo configuration of a computer ----

```
PS C:\>Get-NetTeredoConfiguration
```

This command gets the Teredo configuration from the active store on the local computer.

REMARKS

To see the examples, type: "get-help Get-NetTeredoConfiguration -examples".

For more information, type: "get-help Get-NetTeredoConfiguration -detailed".

For technical information, type: "get-help Get-NetTeredoConfiguration -full".

For online help, type: "get-help Get-NetTeredoConfiguration -online"

