



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Get-PrinterPort'

PS C:\Users\wahid> Get-Help Get-PrinterPort

NAME

Get-PrinterPort

SYNOPSIS

Retrieves a list of printer ports installed on the specified computer.

SYNTAX

```
Get-PrinterPort [[-Name] <String[]>] [-AsJob] [-CimSession <CimSession[]>]
[-ComputerName <String>] [-ThrottleLimit <Int32>] [<CommonParameters>]
```

DESCRIPTION

The Get-PrinterPort cmdlet retrieves a list of printer ports that are installed on the specified computer.

You can use wildcard characters with Get-PrinterPort . You can use Get-PrinterPort in a Windows PowerShell remoting session.

You do not need administrator credentials to run Get-PrinterPort .

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet`. The default is the current session on the local computer.

-ComputerName <String>

Specifies the name of the computer from which to retrieve the list of printer ports.

-Name <String[]>

Specifies the name of the printer port about which to retrieve information. You can use wildcard characters to specify the printer port name.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of ``0`` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

<CommonParameters>

This cmdlet supports the common parameters: `Verbose`, `Debug`, `ErrorAction`, `ErrorVariable`, `WarningAction`, `WarningVariable`,

OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Get a list of printer ports -----

Get-PrinterPort

This command retrieves a list of all the printer ports installed on the local computer.

REMARKS

To see the examples, type: "get-help Get-PrinterPort -examples".

For more information, type: "get-help Get-PrinterPort -detailed".

For technical information, type: "get-help Get-PrinterPort -full".

For online help, type: "get-help Get-PrinterPort -online"