



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Get-StorageEnclosureVendorData'

PS C:\Users\wahid> Get-Help Get-StorageEnclosureVendorData

NAME

Get-StorageEnclosureVendorData

SYNOPSIS

Gets vendor-specific data for an enclosure.

SYNTAX

```
Get-StorageEnclosureVendorData [-FriendlyName] <String[]> [-AsJob]
[-CimSession <CimSession[]>] -PageNumber <UInt16> [-ThrottleLimit <Int32>]
[<CommonParameters>]
```

```
Get-StorageEnclosureVendorData [-AsJob] [-CimSession <CimSession[]>]
-InputObject <CimInstance[]> -PageNumber <UInt16> [-ThrottleLimit <Int32>]
[<CommonParameters>]
```

```
Get-StorageEnclosureVendorData [-AsJob] [-CimSession <CimSession[]>]
-PageNumber <UInt16> [-ThrottleLimit <Int32>] -UniqueId <String[]>
[<CommonParameters>]
```

DESCRIPTION

The `Get-StorageEnclosureVendorData` cmdlet gets vendor-specific data for a storage enclosure. Specify the enclosure and the SCSI diagnostic page code for the data.

PARAMETERS

`-AsJob` [`<SwitchParameter>`]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

`-CimSession` `<CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet`. The default is the current session on the local computer.

`-FriendlyName` `<String[]>`

Specifies an array of friendly names. This cmdlet gets vendor data for the enclosures that the names specify.

`-InputObject` `<CimInstance[]>`

Specifies the input object that is used in a pipeline command.

`-PageNumber` `<UInt16>`

Specifies the SCSI diagnostic page code for which this cmdlet gets vendor-specific information.

`-ThrottleLimit` `<Int32>`

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle

limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

`-UniqueId <String[]>`

Specifies an array of IDs. This cmdlet gets vendor data for the enclosures that the IDs specify.

`<CommonParameters>`

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Get information for an enclosure -----

```
PS C:\>Get-StorageEnclosureVendorData -FriendlyName "E11" -PageNumber 0x2
```

This command gets vendor data for the enclosure named E11. The cmdlet specifies SCSI diagnostic page code 0x2.

REMARKS

To see the examples, type: "get-help Get-StorageEnclosureVendorData -examples".

For more information, type: "get-help Get-StorageEnclosureVendorData -detailed".

For technical information, type: "get-help Get-StorageEnclosureVendorData -full".

For online help, type: "get-help Get-StorageEnclosureVendorData -online"