



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'New-AzEventGridEventHubEventSubscriptionDestinationObject'

PS:\>Get-HELP New-AzEventGridEventHubEventSubscriptionDestinationObject -Full

NAME

New-AzEventGridEventHubEventSubscriptionDestinationObject

SYNOPSIS

Create an in-memory object for EventHubEventSubscriptionDestination.

SYNTAX

New-AzEventGridEventHubEventSubscriptionDestinationObject <IDeliveryAttributeMapping[]> [-ResourceId <String>] [<CommonParameters>]	[-DeliveryAttributeMapping]
--	-----------------------------

DESCRIPTION

Create an in-memory object for EventHubEventSubscriptionDestination.

PARAMETERS

-DeliveryAttributeMapping <IDeliveryAttributeMapping[]>

Delivery attribute details.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ResourceId <String>

The Azure Resource Id that represents the endpoint of an Event Hub destination of an event subscription.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.EventGrid.Models.EventHubEventSubscriptionDestination

NOTES

COMPLEX PARAMETER PROPERTIES

To create the parameters described below, construct a hash table containing the appropriate properties. For example:

information on hash tables, run Get-Help

about_Hash_Tables.

DELIVERYATTRIBUTEMAPPING <IDeliveryAttributeMapping[]>: Delivery attribute details.

Type <String>: Type of the delivery attribute or header name.

[Name <String>]: Name of the delivery attribute or header.

----- EXAMPLE 1 -----

```
PS C:\>$damObj = New-AzEventGridDeliveryAttributeMappingObject -Type "TestType" -Name "TestName"
```

```
$eventSubObj = Get-AzEventGridSubscription -ResourceGroupName azps_test_group_eventgrid -DomainName  
azps-domain -TopicName azps-topic  
New-AzEventGridEventHubEventSubscriptionDestinationObject -DeliveryAttributeMapping $damObj -ResourceId  
$eventSubObj.Id
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/Az.EventGrid/new-azeventgrideventhubeventssubscriptiondestinationobject>