



Windows PowerShell Get-Help on Cmdlet 'Remove-AzOperationalInsightsCluster'

PS:\>Get-HELP Remove-AzOperationalInsightsCluster -Full

NAME

Remove-AzOperationalInsightsCluster

SYNOPSIS

Delete cluster

SYNTAX

```
Remove-AzOperationalInsightsCluster [-ResourceGroupName] <System.String> [-ClusterName] <System.String>
[-AsJob] [-DefaultProfile
```

```
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

```
Remove-AzOperationalInsightsCluster [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputCluster
<Microsoft.Azure.Commands.OperationalInsights.Models.PSCluster> [-Confirm] [-WhatIf] [<CommonParameters>]
```

```
Remove-AzOperationalInsightsCluster [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ResourceId
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

Delete cluster, only apply to clusters with provisioning state "Succeeded"

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ClusterName <System.String>

The cluster name.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputCluster <Microsoft.Azure.Commands.Operationallnsights.Models.PSCLuster>

{{ Fill InputCluster Description }}

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true
Position? 0
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceId <System.String>

The destination resource ID. This can be copied from the Properties entry of the destination resource in Azure.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named

Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.OperationalInsights.Models.PSCLuster

System.String

OUTPUTS

System.Boolean

----- Example 1 -----

```
Remove-AzOperationalInsightsCluster -ResourceGroupName "rg-name" -ClusterName "cluster-name"
```

Delete cluster

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.operationalinsights/remove-azoperationalinsightscluster>