



python



PowerShell

FPDF Library  
PDF generator

*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***PowerShell Get-Help on command 'Remove-DAEntryPointTableItem'***

***PS C:\Users\wahid> Get-Help Remove-DAEntryPointTableItem***

#### NAME

Remove-DAEntryPointTableItem

#### SYNOPSIS

Removes a DirectAccess entry point from the specified configuration store.

#### SYNTAX

```
Remove-DAEntryPointTableItem [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
[-EntryPointName <String[]>] [-PassThru] -PolicyStore <String> [-ThrottleLimit
<Int32>] [-WhatIf] [<CommonParameters>]
```

```
Remove-DAEntryPointTableItem [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
[-EntryPointName <String[]>] -GPOSession <String> [-PassThru] [-ThrottleLimit
<Int32>] [-WhatIf] [<CommonParameters>]
```

```
Remove-DAEntryPointTableItem [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
-InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]
```

## DESCRIPTION

The Remove-DAEntryPointTableItem cmdlet removes a DirectAccess entry point from the specified configuration store. You must specify both the configuration store, by using either GPOSession or PolicyStore , and name of the entry point to remove.

## PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job completes. To manage the job, use the `\*-Job` cmdlets. To get the job results, use the Receive-Job (<https://go.microsoft.com/fwlink/?LinkID=113372>)cmdlet.

For more information about Windows PowerShell background jobs, see about\_Jobs (<https://go.microsoft.com/fwlink/?LinkID=113251>).

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet.

The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-EntryPointName <String[]>

Specifies the name of the entry point to remove. This parameter supports

wildcards.

**-GPOSession <String>**

Specifies the Group Policy session from which to read configuration information. You can use GPOSession with the NetGPO cmdlets to aggregate multiple operations performed on a Group Policy Object. GPOSession cannot be used in conjunction with PolicyStore .

**-InputObject <CimInstance[]>**

Specifies the input object that is used in a pipeline command.

**-PassThru [<SwitchParameter>]**

Sends items from an interactive window down the pipeline as input to other cmdlets. By default, this cmdlet does not generate any output. However, to send items from the interactive window down the pipeline, click to select the items and then click OK. Shift-click and Ctrl-click are supported.

**-PolicyStore <String>**

Specifies the policy store from which the cmdlet retrieves the entry point information.

To retrieve the entry point information from a Group Policy Object, specify the GPO name using the format "Domain\GPOName".

To retrieve the entry point information from a computer's local GPO, specify the computer's local GPO name in the format "GPO:<computername>".

PolicyStore cannot be used in conjunction with GPOSession .

The default value for PolicyStore is ActiveStore.

**-ThrottleLimit <Int32>**

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of

`0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

`-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

`<CommonParameters>`

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

---- Example 1: Remove an entry point by using the pipeline ----

```
PS C:\> Get-DAEntryPointTableItem -EntryPointName "Redmond" -PolicyStore  
"Contoso\GPO1" | Remove-DAEntryPointTableItem
```

This cmdlet removes the entry point named Redmond by first getting the entry point information using `Get-DAEntryPointTableItem` and then passing the information to `Remove-DAEntryPointTableItem`.

----- Example 2: Remove an entry point directly -----

```
PS C:\> Remove-DAEntryPointTableItem -EntryPointName "Redmond" -PolicyStore  
"Contoso\GPO1"
```

This cmdlet removes an entry point named Redmond by specifying the `EntryPointName` and `PolicyStore` parameters.

## REMARKS

To see the examples, type: `"get-help Remove-DAEntryPointTableItem -examples"`.

For more information, type: `"get-help Remove-DAEntryPointTableItem -detailed"`.

For technical information, type: `"get-help Remove-DAEntryPointTableItem -full"`.

For online help, type: "get-help Remove-DAEntryPointTableItem -online"