



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Remove-DtcClusterTMMapping'

PS C:\Users\wahid> Get-Help Remove-DtcClusterTMMapping

NAME

Remove-DtcClusterTMMapping

SYNOPSIS

Removes a cluster DTC mapping.

SYNTAX

```
Remove-DtcClusterTMMapping -All [-AsJob] [-CimSession <CimSession[]>]
[-Confirm] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

```
Remove-DtcClusterTMMapping [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
-Name <String> [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-DtcClusterTMMapping cmdlet removes a cluster Distributed Transaction Coordinator (DTC) mapping. This cmdlet is supported on clustered computers only.

PARAMETERS

-All [<SwitchParameter>]

Indicates that this cmdlet deletes all TM mappings.

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job completes. To manage the job, use the `*-Job` cmdlets. To get the job results, use the Receive-Job

(<https://go.microsoft.com/fwlink/?LinkID=113372>)cmdlet.

For more information about Windows PowerShell background jobs, see about_Jobs (<https://go.microsoft.com/fwlink/?LinkID=113251>).

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet.

The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-Name <String>

Specifies the mapping name of the TM mapping to delete.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of

`0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

`-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

`<CommonParameters>`

This cmdlet supports the common parameters: `Verbose`, `Debug`, `ErrorAction`, `ErrorVariable`, `WarningAction`, `WarningVariable`, `OutBuffer`, `PipelineVariable`, and `OutVariable`. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Remove a local mapping -----

```
PS C:\> Remove-DtcClusterTMMapping -Name "LocalTestAppMapping"
```

Confirm

Are you sure you want to perform this action?

Removing Tm Mapping will result in the application using default Dtc as its transactions coordinator.

[Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "Y"): Yes

This command removes a local `DtcClusterTMMapping` object.

REMARKS

To see the examples, type: `"get-help Remove-DtcClusterTMMapping -examples"`.

For more information, type: `"get-help Remove-DtcClusterTMMapping -detailed"`.

For technical information, type: `"get-help Remove-DtcClusterTMMapping -full"`.

For online help, type: `"get-help Remove-DtcClusterTMMapping -online"`

