



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Remove-InitiatorId'

PS C:\Users\wahid> Get-Help Remove-InitiatorId

NAME

Remove-InitiatorId

SYNOPSIS

Removes an initiator identifier (ID).

SYNTAX

```
Remove-InitiatorId [-InitiatorAddress] <String[]> [-AsJob] [-CimSession  
<CimSession[]>] [-Confirm] [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]  
[<CommonParameters>]
```

```
Remove-InitiatorId [-AsJob] [-CimSession <CimSession[]>] [-Confirm]  
-InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]  
[<CommonParameters>]
```

```
Remove-InitiatorId [-AsJob] [-CimSession <CimSession[]>] [-Confirm]  
[-PassThru] [-ThrottleLimit <Int32>] -UniqueId <String[]> [-WhatIf]  
[<CommonParameters>]
```

DESCRIPTION

The Remove-InitiatorId cmdlet removes an initiator identifier (ID).

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/?LinkId=227967>) or [Get-CimSession] (<https://go.microsoft.com/fwlink/?LinkId=227966>) cmdlet.

The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-InitiatorAddress <String[]>

Specifies the address of the InitiatorID object you want to remove.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-PassThru [<SwitchParameter>]

Sends items from the interactive window down the pipeline as input to other cmdlets. By default, this cmdlet does not generate any output.

To send items from the interactive window down the pipeline, click to select the items and then click OK. Shift-click and Ctrl-click are supported.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell® calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-UniqueId <String[]>

Specifies the UniqueID(s) of the InitiatorID(s) you want to remove. Separate multiple UniqueIDs with commas, and enclose brackets in quotation marks.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Remove an iSCSI initiator ID -----

```
PS C:\>Remove-InitiatorID -InitiatorAddress $SomeiSCSIQN
```

This example removes the iSCSI IQN previously stored in the variable \$SomeiScsiIQN from the list of Initiator IDs.

REMARKS

To see the examples, type: "get-help Remove-InitiatorId -examples".

For more information, type: "get-help Remove-InitiatorId -detailed".

For technical information, type: "get-help Remove-InitiatorId -full".

For online help, type: "get-help Remove-InitiatorId -online"