



python



PowerShell

FPDF Library  
PDF generator

*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***PowerShell Get-Help on command 'Remove-LocalGroupMember'***

***PS C:\Users\wahid> Get-Help Remove-LocalGroupMember***

#### NAME

Remove-LocalGroupMember

#### SYNOPSIS

Removes members from a local group.

#### SYNTAX

Remove-LocalGroupMember [-Group] <Microsoft.PowerShell.Commands.LocalGroup>  
[-Member] <Microsoft.PowerShell.Commands.LocalPrincipal[]> [-Confirm]  
[-WhatIf] [<CommonParameters>]

Remove-LocalGroupMember [-Name] <System.String> [-Member]  
<Microsoft.PowerShell.Commands.LocalPrincipal[]> [-Confirm] [-WhatIf]  
[<CommonParameters>]

Remove-LocalGroupMember [-SID] <System.Security.Principal.SecurityIdentifier>  
[-Member] <Microsoft.PowerShell.Commands.LocalPrincipal[]> [-Confirm]  
[-WhatIf] [<CommonParameters>]

## DESCRIPTION

The `Remove-LocalGroupMember` cmdlet removes users or groups from a local group.

> [!NOTE] > The `Microsoft.PowerShell.LocalAccounts` module is not available in 32-bit PowerShell on a 64-bit > system.

## PARAMETERS

`-Group <Microsoft.PowerShell.Commands.LocalGroup>`

Specifies the security group from which this cmdlet removes members.

`-Member <Microsoft.PowerShell.Commands.LocalPrincipal[]>`

Specifies an array of users or groups that this cmdlet removes from a security group. You can specify users or groups by name, security ID (SID), or LocalPrincipal objects. Specify SID strings in S-R-I-S-S . . . format.

`-Name <System.String>`

Specifies the name of the security group from which this cmdlet removes members.

`-SID <System.Security.Principal.SecurityIdentifier>`

Specifies the security ID of the security group from which this cmdlet removes members.

`-Confirm <System.Management.Automation.SwitchParameter>`

Prompts you for confirmation before running the cmdlet.

`-WhatIf <System.Management.Automation.SwitchParameter>`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

`<CommonParameters>`

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

--- Example 1: Remove members from the Administrators group ---

```
$members = "Admin02", "MicrosoftAccount\username@Outlook.com",  
"AzureAD\DavidChew@contoso.com", "CONTOSO\Domain Admins"  
Remove-LocalGroupMember -Group "Administrators" -Member $members
```

This command removes several members from the local Administrators group. The members that this cmdlet removes include a local user account, a Microsoft account, a Microsoft Entra account, and a domain group. This example uses a placeholder value for the user name of an account at Outlook.com.

#### REMARKS

To see the examples, type: "get-help Remove-LocalGroupMember -examples".

For more information, type: "get-help Remove-LocalGroupMember -detailed".

For technical information, type: "get-help Remove-LocalGroupMember -full".

For online help, type: "get-help Remove-LocalGroupMember -online"