PowerShell Get-Help on command 'Remove-NetEventProvider'

PS C:\Users\wahid> Get-Help Remove-NetEventProvider

NAME

    Remove-NetEventProvider

SYNOPSIS

    Removes an ETW provider from a session.

SYNTAX

    Remove-NetEventProvider [-AsJob] [-CimSession <CimSession[]>] [-Confirm]

    -InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]

    [<CommonParameters>]

    Remove-NetEventProvider [-Name] <String[]> [-AsJob] [-CimSession

    <CimSession[]>] [-Confirm] [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]

    [<CommonParameters>]

DESCRIPTION

    The Remove-NetEventProvider cmdlet removes an Event Tracing for Windows (ETW)

    provider from a session.

PARAMETERS

  -AsJob [<SwitchParameter>]

    Runs the cmdlet as a background job. Use this parameter to run commands

    that take a long time to complete.

  -CimSession <CimSession[]>

    Runs the cmdlet in a remote session or on a remote computer. Enter a

    computer name or a session object, such as the output of a New-CimSession

    (https://go.microsoft.com/fwlink/p/?LinkId=227967) or

    [Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet.

    The default is the current session on the local computer.

  -Confirm [<SwitchParameter>]

    Prompts you for confirmation before running the cmdlet.

  -InputObject <CimInstance[]>

    Specifies the input object that is used in a pipeline command.

  -Name <String[]>

    Specifies an array of names that identify ETW providers.

  -PassThru [<SwitchParameter>]

    Returns an object representing the item with which you are working. By

    default, this cmdlet does not generate any output.

  -ThrottleLimit <Int32>

    Specifies the maximum number of concurrent operations that can be

    established to run the cmdlet. If this parameter is omitted or a value of

    `0` is entered, then Windows PowerShellr calculates an optimum throttle

    limit for the cmdlet based on the number of CIM cmdlets that are running

    on the computer. The throttle limit applies only to the current cmdlet,

    not to the session or to the computer.

-WhatIf [<SwitchParameter>]

    Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

    This cmdlet supports the common parameters: Verbose, Debug,

    ErrorAction, ErrorVariable, WarningAction, WarningVariable,

    OutBuffer, PipelineVariable, and OutVariable. For more information, see

    about_CommonParameters (https:/go.microsoft.com/fwlink/?LinkID=113216).

-------------- Example 1: Remove an ETW provider --------------

PS C:\>Remove-NetEventProvider -Name "Microsoft-Windows-TCPIP"

This command removes an ETW provider named Microsoft-Windows-TCPIP.

REMARKS

    To see the examples, type: "get-help Remove-NetEventProvider -examples".

    For more information, type: "get-help Remove-NetEventProvider -detailed".

    For technical information, type: "get-help Remove-NetEventProvider -full".

    For online help, type: "get-help Remove-NetEventProvider -online"