



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Remove-NetEventSession'

PS C:\Users\wahid> Get-Help Remove-NetEventSession

NAME

Remove-NetEventSession

SYNOPSIS

Removes a network event session.

SYNTAX

```
Remove-NetEventSession [-AsJob] [-AssociatedEventProvider <CimInstance>]  
[-CimSession <CimSession[]>] [-Confirm] [-PassThru] [-ThrottleLimit <Int32>]  
[-WhatIf] [<CommonParameters>]
```

```
Remove-NetEventSession [-AsJob] [-CimSession <CimSession[]>] [-Confirm]  
-InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]  
[<CommonParameters>]
```

```
Remove-NetEventSession [-Name] <String[]> [-AsJob] [-CimSession  
<CimSession[]>] [-Confirm] [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]  
[<CommonParameters>]
```

DESCRIPTION

The Remove-NetEventSession cmdlet removes a network event session. The cmdlet also deletes all properties and objects associated with the session. A session controls how the computer logs events and, optionally, network traffic, or packets.

You can have only one session at a time. Before you can add a network event session by using the New-NetEventSession cmdlet, remove an existing session.

PARAMETERS

-AsJob [`<SwitchParameter>`]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-AssociatedEventProvider `<CimInstance>`

Specifies the associated network event provider as a CIM object. To obtain the network event provider, use the Get-NetEventProvider cmdlet.

-CimSession `<CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

-Confirm [`<SwitchParameter>`]

Prompts you for confirmation before running the cmdlet.

-InputObject `<CimInstance[]>`

Specifies the input object that is used in a pipeline command.

-Name `<String[]>`

Specifies an array of names of sessions to remove.

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Remove a session -----

```
PS C:\>Remove-NetEventSession -Name "Session38"
```

This command removes the session named Session38. The command removes all the configuration information associated with the session.

REMARKS

To see the examples, type: "get-help Remove-NetEventSession -examples".

For more information, type: "get-help Remove-NetEventSession -detailed".

For technical information, type: "get-help Remove-NetEventSession -full".

For online help, type: "get-help Remove-NetEventSession -online"