



python



PowerShell

FPDF Library  
PDF generator

*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***PowerShell Get-Help on command 'Remove-NetEventVmSwitch'***

***PS C:\Users\wahid> Get-Help Remove-NetEventVmSwitch***

#### NAME

Remove-NetEventVmSwitch

#### SYNOPSIS

Removes Hyper-V virtual switches from a provider.

#### SYNTAX

Remove-NetEventVmSwitch [-AsJob] [-CimSession <CimSession[]>] [-Confirm]  
-InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]  
[<CommonParameters>]

Remove-NetEventVmSwitch [-Name] <String[]> [-AsJob] [-CimSession  
<CimSession[]>] [-Confirm] [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]  
[<CommonParameters>]

#### DESCRIPTION

The Remove-NetEventVmSwitch cmdlet removes Hyper-V virtual switches and the settings for the virtual switches from a Remote Packet Capture provider. You can specify the names of Hyper-V virtual switches, or use the InputObject

parameter to specify a NetEventVmSwitch object to remove. To obtain a NetEventVmSwitch object, use the Get-NetEventVmSwitch cmdlet. When you remove a Hyper-V virtual switch, the Remote Packet Capture provider no longer uses the Hyper-V virtual switch to capture event packets.

The protocol stack uses multiple layers to transmit, receive, and process network traffic as packets. The provider logs network traffic as Event Tracing for Windows (ETW) events.

## PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-Name <String[]>

Specifies an array of names of Hyper-V virtual switches to remove.

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By

default, this cmdlet does not generate any output.

#### `-ThrottleLimit <Int32>`

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

#### `-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

#### `<CommonParameters>`

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

-- Example 1: Remove a Hyper-V virtual switch from a provider --

```
PS C:\> New-NetEventSession -Name "NESession01"
PS C:\> Add-NetEventPacketCaptureProvider -SessionName "NESession01"
PS C:\> Add-NetEventVMSwitch -Name "Network Adapter 2 - Virtual Switch"
PS C:\> Remove-NetEventVMSwitch -Name "Network Adapter 2 - Virtual Switch"
```

This example removes a Hyper-V virtual switch from the Remote Packet Capture for a network session.

The first command uses `New-NetEventSession` to create the network session named `NESession01`.

The second command uses the `Add-NetEventPacketCaptureProvider` cmdlet to add a

Remote Packet Capture provider for the session named NESession01.

The third command uses the Add-NetEventVmSwitch cmdlet to add the Hyper-V virtual switch named Network Adapter 2 - Virtual Switch as a filter on the Remote Packet Capture provider.

The fourth command removes the Hyper-V virtual switch named Network Adapter 2 - Virtual Switch from the provider.

## REMARKS

To see the examples, type: "get-help Remove-NetEventVmSwitch -examples".

For more information, type: "get-help Remove-NetEventVmSwitch -detailed".

For technical information, type: "get-help Remove-NetEventVmSwitch -full".

For online help, type: "get-help Remove-NetEventVmSwitch -online"