



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Remove-NetEventVmSwitchProvider'

PS C:\Users\wahid> Get-Help Remove-NetEventVmSwitchProvider

NAME

Remove-NetEventVmSwitchProvider

SYNOPSIS

Removes a virtual machine switch provider for network events.

SYNTAX

```
Remove-NetEventVmSwitchProvider [-AsJob] [-CimSession <CimSession[]>]
-InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

```
Remove-NetEventVmSwitchProvider [-SessionName] <String[]> [-AsJob]
[-CimSession <CimSession[]>] [-PassThru] [-ThrottleLimit <Int32>] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-NetEventVmSwitchProvider cmdlet removes a virtual machine switch provider for network events.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/?LinkId=227966>) cmdlet.

The default is the current session on the local computer.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

-SessionName <String[]>

Specifies the name of the session that is associated with the NetEventVMSwitchProvider . This parameter has the same value as the Name parameter for the New-NetEventSession cmdlet.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Remove a virtual machine switch provider -----

```
Remove-NetEventVmSwitchProvider -SessionName Session01
```

This command removes the virtual machine switch provider associated with `Session01`.

REMARKS

To see the examples, type: "get-help Remove-NetEventVmSwitchProvider -examples".

For more information, type: "get-help Remove-NetEventVmSwitchProvider -detailed".

For technical information, type: "get-help Remove-NetEventVmSwitchProvider -full".

For online help, type: "get-help Remove-NetEventVmSwitchProvider -online"