



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Remove-NetEventWFPCaptureProvider'

PS C:\Users\wahid> Get-Help Remove-NetEventWFPCaptureProvider

NAME

Remove-NetEventWFPCaptureProvider

SYNOPSIS

Removes a local or remote WFP capture provider.

SYNTAX

```
Remove-NetEventWFPCaptureProvider [-AsJob] [-CimSession <CimSession[]>]
[-Confirm] -InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>]
[-WhatIf] [<CommonParameters>]
```

```
Remove-NetEventWFPCaptureProvider [-SessionName] <String[]> [-AsJob]
[-CimSession <CimSession[]>] [-Confirm] [-PassThru] [-ThrottleLimit <Int32>]
[-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-NetEventWFPCaptureProvider cmdlet removes a local or remote Windows Firewall Platform (WFP) capture provider and deletes its settings. For more information about WFP capture providers, see the

Add-NetEventWFPCaptureProvider cmdlet.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet`. The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

-SessionName <String[]>

Specifies an array of session names that are associated with the `NetEventWFPCaptureProvider` .

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle

limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Remove a WPF capture provider -----

```
PS C:\>Remove-NetEventWFPCaptureProvider -SessionName "WFPCapture"
```

This command removes the WFP capture provider for the session named WFPCapture.

REMARKS

To see the examples, type: "get-help Remove-NetEventWFPCaptureProvider -examples".

For more information, type: "get-help Remove-NetEventWFPCaptureProvider -detailed".

For technical information, type: "get-help Remove-NetEventWFPCaptureProvider -full".

For online help, type: "get-help Remove-NetEventWFPCaptureProvider -online"