



python



PowerShell

FPDF Library  
PDF generator

*Full credit is given to the above companies including the OS that this PDF file was generated!*

### **PowerShell Get-Help on command 'Remove-NetFirewallDynamicKeywordAddress'**

**PS C:\Users\wahid> Get-Help Remove-NetFirewallDynamicKeywordAddress**

#### NAME

Remove-NetFirewallDynamicKeywordAddress

#### SYNOPSIS

Removes dynamic keyword addresses.

#### SYNTAX

```
Remove-NetFirewallDynamicKeywordAddress [-All] [-AllAutoResolve]
[-AllNonAutoResolve] [-AsJob] [-CimSession <CimSession[]>] [-PassThru]
[-PolicyStore <String>] [-ThrottleLimit <Int32>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

```
Remove-NetFirewallDynamicKeywordAddress [-Id] <String[]> [-AsJob] [-CimSession
<CimSession[]>] [-PassThru] [-PolicyStore <String>] [-ThrottleLimit <Int32>]
[-Confirm] [-WhatIf] [<CommonParameters>]
```

```
Remove-NetFirewallDynamicKeywordAddress [-AsJob] [-CimSession <CimSession[]>]
-InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

## DESCRIPTION

The Remove-NetFirewallDynamicKeywordAddress cmdlet removes dynamic keyword addresses.

## PARAMETERS

-All [<SwitchParameter>]

Indicates that the cmdlet removes all dynamic keyword addresses.

-AllAutoResolve [<SwitchParameter>]

Indicates that the cmdlet gets all AutoResolve dynamic keyword addresses.

-AllNonAutoResolve [<SwitchParameter>]

Indicates that the cmdlet gets all non-AutoResolve dynamic keyword addresses.

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet.

The default is the current session on the local computer.

-Id <String[]>

Specifies GUIDs of the dynamic keyword addresses to remove.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

**-PassThru [<SwitchParameter>]**

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

**-PolicyStore <String>**

Specifies the policy store from which to remove dynamic key addresses. A policy store is a container for firewall and IPsec policy.

**-ThrottleLimit <Int32>**

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

**-Confirm [<SwitchParameter>]**

Prompts you for confirmation before running the cmdlet.

**-WhatIf [<SwitchParameter>]**

Shows what would happen if the cmdlet runs. The cmdlet is not run.

**<CommonParameters>**

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Remove a dynamic keyword address -----

```
Remove-NetFirewallDynamicKeywordAddress -Id
```

```
"{01234567-89ab-cdef-0123-456789abcdef}" -PolicyStore ContosoPolicyStore
```

This example removes the specified dynamic keyword address from the specified policy store. The braces are required for the ID.

- Example 2: Remove all AutoResolve dynamic keyword addresses -

```
Remove-NetFirewallDynamicKeywordAddress -PolicyStore ContosoPolicyStore  
-AllAutoResolve
```

This example removes all the AutoRestore dynamic keyword addresses from the specified policy store.

#### REMARKS

To see the examples, type: "get-help Remove-NetFirewallDynamicKeywordAddress -examples".

For more information, type: "get-help Remove-NetFirewallDynamicKeywordAddress -detailed".

For technical information, type: "get-help Remove-NetFirewallDynamicKeywordAddress -full".

For online help, type: "get-help Remove-NetFirewallDynamicKeywordAddress -online"