







Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Remove-NetIPHttpsCertBinding'

PS C:\Users\wahid> Get-Help Remove-NetIPHttpsCertBinding

NAME

Remove-NetIPHttpsCertBinding

SYNOPSIS

Removes all of the IP-HTTPS certificate bindings.

SYNTAX

Remove-NetIPHttpsCertBinding [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Remove-NetIPHttpsCertBinding cmdlet removes all of the certificate bindings on the computer. This cmdlet is similar to the `netsh http delete sslcert` command.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands

that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (https://go.microsoft.com/fwlink/p/?LinkId=227967) or [Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet.

The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShellr calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,
ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Remove IP-HTTPS certificate bindings ------

This command removes all of the IP-HTTPS certificate bindings.

REMARKS

To see the examples, type: "get-help Remove-NetIPHttpsCertBinding -examples".

For more information, type: "get-help Remove-NetIPHttpsCertBinding -detailed".

For technical information, type: "get-help Remove-NetIPHttpsCertBinding -full".

For online help, type: "get-help Remove-NetIPHttpsCertBinding -online"