



python



PowerShell

FPDF Library  
PDF generator

*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***PowerShell Get-Help on command 'Remove-NetIPHttpsConfiguration'***

***PS C:\Users\wahid> Get-Help Remove-NetIPHttpsConfiguration***

#### NAME

Remove-NetIPHttpsConfiguration

#### SYNOPSIS

Removes an IP-HTTPS configuration profile.

#### SYNTAX

```
Remove-NetIPHttpsConfiguration [-AsJob] [-CimSession <CimSession[]>  
[-Confirm] [-GPOSession <String>] [-PassThru] [-PolicyStore <String>  
[-Profile <String[]>] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

```
Remove-NetIPHttpsConfiguration [-AsJob] [-CimSession <CimSession[]>  
[-Confirm] -InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>  
[-WhatIf] [<CommonParameters>]
```

#### DESCRIPTION

The Remove-NetIPHttpsConfiguration cmdlet removes an IP-HTTPS configuration profile from a specified store.

You can specify the IP-HTTPS configuration profile to remove either by using a configuration object retrieved by the `Get-NetIPHttpsConfiguration` cmdlet or by specifying the profile name.

## PARAMETERS

`-AsJob` [`<SwitchParameter>`]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

`-CimSession` `<CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet`. The default is the current session on the local computer.

`-Confirm` [`<SwitchParameter>`]

Prompts you for confirmation before running the cmdlet.

`-GPOSession` `<String>`

Specifies the Group Policy session from which to remove the configuration information.

You can use this parameter with the `NetGPO` cmdlets to aggregate multiple operations performed on a Group Policy Object (GPO).

You cannot use this parameter with the `PolicyStore` parameter.

`-InputObject` `<CimInstance[]>`

Specifies the input object that is used in a pipeline command.

`-PassThru` [`<SwitchParameter>`]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

**-PolicyStore <String>**

Specifies the policy store from which to remove the configuration profile.

The acceptable values for this parameter are:

- ActiveStore

- PersistentStore

- GPO

To remove the configuration profile from a GPO, specify the GPO name using the following format: Domain\GPOName

You cannot use this parameter with GPOSession .

**-Profile <String[]>**

Specifies the profile name of the IP-HTTPS profile to remove.

**-ThrottleLimit <Int32>**

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

**-WhatIf [<SwitchParameter>]**

Shows what would happen if the cmdlet runs. The cmdlet is not run.

## <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Remove a profile -----

```
PS C:\>Remove-NetIPHttpsConfiguration -Profile "Profile1" -PolicyStore  
"Domain\GPO"
```

This command removes the IP-HTTPS configuration profile named Profile1 from a GPO.

---- Example 2: Remove a profile using configuration object ----

```
PS C:\>Get-NetIPHttpsConfiguration -Profile "Profile2" -PolicyStore  
"Domain\GPO" | Remove-NetIPHttpsConfiguration
```

This command gets the configuration profile object with profile named profile2 on a GPO using the Get-NetIPHttpsConfiguration cmdlet, and then provides the object as input to this cmdlet using the pipeline operator.

## REMARKS

To see the examples, type: "get-help Remove-NetIPHttpsConfiguration -examples".

For more information, type: "get-help Remove-NetIPHttpsConfiguration -detailed".

For technical information, type: "get-help Remove-NetIPHttpsConfiguration -full".

For online help, type: "get-help Remove-NetIPHttpsConfiguration -online"