



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Remove-NetLbfoTeam'

PS C:\Users\wahid> Get-Help Remove-NetLbfoTeam

NAME

Remove-NetLbfoTeam

SYNOPSIS

Removes the specified NIC team from the host.

SYNTAX

```
Remove-NetLbfoTeam [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
-InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]
```

```
Remove-NetLbfoTeam [-Name] <String[]> [-AsJob] [-CimSession <CimSession[]>]
[-Confirm] [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-NetLbfoTeam cmdlet removes the specified NIC team from the host.

This cmdlet disconnects all associated team members and providers from the team. You can specify the team to remove by using either a team object retrieved by Get-NetLbfoTeam, or by specifying a team name.

You can use `Remove-NetLbfoTeam` to remove all NIC teams from the server.

You need administrator privileges to use `Remove-NetLbfoTeam` .

PARAMETERS

`-AsJob [<SwitchParameter>]`

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

`-CimSession <CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet`. The default is the current session on the local computer.

`-Confirm [<SwitchParameter>]`

Prompts you for confirmation before running the cmdlet.

`-InputObject <CimInstance[]>`

Specifies the input object that is used in a pipeline command.

`-Name <String[]>`

Specifies the name of the NIC team to remove.

`-PassThru [<SwitchParameter>]`

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

`-ThrottleLimit <Int32>`

Specifies the maximum number of concurrent operations that can be

established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

`-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

`<CommonParameters>`

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Remove a team -----

```
PS C:\> Remove-NetLbfoTeam -Name Team1
```

This command removes the team named Team1.

----- Example 2: Remove a team using a team object -----

```
PS C:\> $team = Get-NetLbfoTeam -Name Team1
```

```
PS C:\> Remove-NetLbfoTeam -InputObject $team
```

This set of commands retrieves a team object into a variable `$team` using `Get-NetLbfoTeam`, and then passes the variable to `Remove-NetLbfoTeam`.

----- Example 3: Remove all teams from the server -----

```
PS C:\> Get-NetLbfoTeam | Remove-NetLbfoTeam
```

This command retrieves all the teams from the server using `Get-NetLbfoTeam` cmdlet and then sends all the retrieved teams to `Remove-NetLbfoTeam` which

removes the teams.

REMARKS

To see the examples, type: "get-help Remove-NetLbfoTeam -examples".

For more information, type: "get-help Remove-NetLbfoTeam -detailed".

For technical information, type: "get-help Remove-NetLbfoTeam -full".

For online help, type: "get-help Remove-NetLbfoTeam -online"