

Full credit is given to the above companies including the OS that this TDF file was generated!

PowerShell Get-Help on command 'Remove-NetLbfoTeamMember'

PS C:\Users\wahid> Get-Help Remove-NetLbfoTeamMember

NAME

Remove-NetLbfoTeamMember

SYNOPSIS

Removes one or more network adapters from a NIC team.

SYNTAX

Remove-NetLbfoTeamMember [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]

Remove-NetLbfoTeamMember [-Name] <String[]> [-Team] <String[]> [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-PassThru] [-ThrottleLimit <Int32>]

[-WhatIf] [<CommonParameters>]

DESCRIPTION

The Remove-NetLbfoTeamMember cmdlet removes one or more network adapters from the specified NIC team.

In order to remove the last team member of a team, you must remove the team by using the Remove-NetLbfoTeam cmdlet.

You must have administrator rights to use Remove-NetLbfoTeamMember .

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (https://go.microsoft.com/fwlink/p/?LinkId=227967) or [Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet.

The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-Name <String[]>

Specifies an array of comma-separated names of team members to remove.

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

-Team <String[]>

Specifies the name of the NIC team from which to remove the member.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShellr calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about CommonParameters (https:/go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Remove a team member -----

PS C:\> Remove-NetLbfoTeamMember -Name "NIC1" -Team "Team1"

This command removes the team member named NIC1 from the team named Team1.

REMARKS

To see the examples, type: "get-help Remove-NetLbfoTeamMember -examples". For more information, type: "get-help Remove-NetLbfoTeamMember -detailed". For technical information, type: "get-help Remove-NetLbfoTeamMember -full". For online help, type: "get-help Remove-NetLbfoTeamMember -online"