



python



PowerShell

FPDF Library  
PDF generator

*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***PowerShell Get-Help on command 'Remove-NetLbfoTeamNic'***

***PS C:\Users\wahid> Get-Help Remove-NetLbfoTeamNic***

#### NAME

Remove-NetLbfoTeamNic

#### SYNOPSIS

Removes a team interface from a NIC team.

#### SYNTAX

```
Remove-NetLbfoTeamNic [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
-InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]
```

```
Remove-NetLbfoTeamNic [-Team] <String[]> [-VlanID] <UInt32[]> [-AsJob]
[-CimSession <CimSession[]>] [-Confirm] [-PassThru] [-ThrottleLimit <Int32>]
[-WhatIf] [<CommonParameters>]
```

#### DESCRIPTION

The Remove-NetLbfoTeamNic cmdlet removes a team interface from the NIC team.

The name of a team interface is the team name followed by the VLAN value of this team interface. You can identify a team interface either by its name, its

associated VLAN ID, or its default property.

This cmdlet does not remove the team interface created when the team was created. To remove the team interface created when the team was created, you must remove the team by using the `Remove-NetLbfoTeam` cmdlet.

You need administrator privileges to use `Remove-NetLbfoTeamNic` .

## PARAMETERS

`-AsJob` [`<SwitchParameter>`]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

`-CimSession` `<CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet`.

The default is the current session on the local computer.

`-Confirm` [`<SwitchParameter>`]

Prompts you for confirmation before running the cmdlet.

`-InputObject` `<CimInstance[]>`

Specifies the input object that is used in a pipeline command.

`-PassThru` [`<SwitchParameter>`]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

`-Team` `<String[]>`

Specifies the name of the NIC team from which to remove the team interface.

`-ThrottleLimit <Int32>`

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

`-VlanID <UInt32[]>`

Specifies the VLAN ID of the team interface to remove.

`-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

`<CommonParameters>`

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Remove a team interface -----

```
PS C:\>Remove-NetLbfoTeamNIC -Team "Team1 - VLAN 42"
```

This command removes a team interface named Team1 - VLAN 42 from the team Team1.

#### REMARKS

To see the examples, type: "get-help Remove-NetLbfoTeamNic -examples".

For more information, type: "get-help Remove-NetLbfoTeamNic -detailed".

For technical information, type: "get-help Remove-NetLbfoTeamNic -full".

For online help, type: "get-help Remove-NetLbfoTeamNic -online"

