



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Remove-NetSwitchTeam'

PS C:\Users\wahid> Get-Help Remove-NetSwitchTeam

NAME

Remove-NetSwitchTeam

SYNOPSIS

Deletes a switch team.

SYNTAX

```
Remove-NetSwitchTeam [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
-InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]
```

```
Remove-NetSwitchTeam [-Name] <String[]> [-AsJob] [-CimSession <CimSession[]>]
[-Confirm] [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-NetSwitchTeam cmdlet deletes a switch team. Any members of the team resume default bindings to the TCP/IP stack after the team is deleted.

The team being removed can be specified as either a team name or as an object.

A team name may contain wildcard characters to delete multiple switch teams, for example MyT*. Only switch teams can be removed by using this cmdlet.

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet`. The default is the current session on the local computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-Name <String[]>

Specifies one or more names of the switch teams to be deleted. This parameter can contain wildcard characters (*), for example, MyT* .

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of

`0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

`-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

`<CommonParameters>`

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Delete a switch team -----

```
PS C:\>Remove-NetSwitchTeam -Name "SwitchTeam01"
```

This command deletes the switch team named SwitchTeam01. All of the team members, or network adapters, will be bound to network stacks.

REMARKS

To see the examples, type: "get-help Remove-NetSwitchTeam -examples".

For more information, type: "get-help Remove-NetSwitchTeam -detailed".

For technical information, type: "get-help Remove-NetSwitchTeam -full".

For online help, type: "get-help Remove-NetSwitchTeam -online"