



python



PowerShell

FPDF Library  
PDF generator

*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***PowerShell Get-Help on command 'Remove-PmemDisk'***

***PS C:\Users\wahid> Get-Help Remove-PmemDisk***

#### NAME

Remove-PmemDisk

#### SYNOPSIS

Removes persistent memory disks.

#### SYNTAX

Remove-PmemDisk -DiskNumber <UInt32> [-Force] [-Confirm] [-WhatIf]

[<CommonParameters>]

Remove-PmemDisk [-Force] -Simulated [-Confirm] [-WhatIf] [<CommonParameters>]

#### DESCRIPTION

The Remove-PmemDisk cmdlet removes persistent memory disks.

You can use this cmdlet for troubleshooting. If you remove a persistent memory disk, you lose all data on that disk.

You can specify a disk by number or remove disks from simulated persistent

memory.

## PARAMETERS

-DiskNumber <UInt32>

Specifies the disk number of persistent memory disk to remove.

-Force [<SwitchParameter>]

Indicates that the command removes the disk without verification. Removing a disk results in data loss.

-Simulated [<SwitchParameter>]

Indicates that the cmdlet removes simulated disks.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Remove a persistent memory disk -----

Remove-PmemDisk -DiskNumber 2

This will remove the persistent memory disk(s) from the system and will result in data loss.

Remove the persistent memory disk(s)?

[Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "Y"): Y

Removing the persistent memory disk. This may take a few moments.

This example removes a persistent memory disk.

--- Example 1: Remove a disk in simulated persistent memory ---

Remove-PmemDisk -Simulated

This will remove the persistent memory disk(s) from the system and will result in data loss.

Remove the persistent memory disk(s)?

[Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "Y"): Y

Removing the persistent memory disk. This may take a few moments.

This example removes the disks in simulated persistent memory.

## REMARKS

To see the examples, type: "get-help Remove-PmemDisk -examples".

For more information, type: "get-help Remove-PmemDisk -detailed".

For technical information, type: "get-help Remove-PmemDisk -full".

For online help, type: "get-help Remove-PmemDisk -online"