



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Remove-PrintJob'

PS C:\Users\wahid> Get-Help Remove-PrintJob

NAME

Remove-PrintJob

SYNOPSIS

Removes a print job on the specified printer.

SYNTAX

```
Remove-PrintJob [-PrinterName] <String> [-ID] <UInt32> [-AsJob] [-CimSession  
<CimSession[]>] [-ComputerName <String>] [-Confirm] [-ThrottleLimit <Int32>]  
[-WhatIf] [<CommonParameters>]
```

```
Remove-PrintJob [-PrinterObject] <CimInstance> [-ID] <UInt32> [-AsJob]  
[-CimSession <CimSession[]>] [-Confirm] [-ThrottleLimit <Int32>] [-WhatIf]  
[<CommonParameters>]
```

```
Remove-PrintJob [-InputObject] <CimInstance> [-AsJob] [-CimSession  
<CimSession[]>] [-Confirm] [-ThrottleLimit <Int32>] [-WhatIf]  
[<CommonParameters>]
```

DESCRIPTION

The Remove-PrintJob cmdlet removes a print job on the specified printer.

You can specify the print job to remove by specifying the PrinterName and job ID parameters, by specifying the printer object and job ID parameter, or by specifying a print job object as an input.

You cannot use wildcard characters with Remove-PrintJob . You can use Remove-PrintJob in a Windows PowerShell remoting session.

You do not need administrator credentials to run Remove-PrintJob .

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet.

The default is the current session on the local computer.

-ComputerName <String>

Specifies the name of the computer on which to remove the print job.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-ID <UInt32>

Specifies the ID of a print job to remove on the specified printer.

`-InputObject <CimInstance>`

Specifies the input object that is used in a pipeline command.

`-PrinterName <String>`

Specifies a printer name on which to remove the print job.

`-PrinterObject <CimInstance>`

Specifies the object which contains the printer on which to remove the print job.

`-ThrottleLimit <Int32>`

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

`-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

`<CommonParameters>`

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see `about_CommonParameters` (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1: Remove a selected print job -----

```
Remove-PrintJob -PrinterName "PrinterName" -ID 1
```

This command removes the print job that has an ID of 1 on the printer named

PrinterName.

Example 2: Remove a print job using printer object and the print job ID

```
$Printer = Get-Printer -PrinterName "PrinterName"
```

```
Remove-PrintJob -PrinterObject $Printer -ID "1"
```

The first command gets the printer named PrinterName by using the Get-Printer cmdlet. The command stores the result in the \$Printer variable.

The second command removes the print job that has an ID of 1 from the printer in \$Printer.

---- Example 3: Remove a print job using a print job object ----

```
$printJob = Get-PrintJob - PrinterName "PrinterName" -ID 1
```

```
Remove-PrintJob -InputObject $printJob
```

The first command gets a print job that has an ID of 1 on the printer named PrinterName by using the Get-PrintJob cmdlet. The command stores the job in the \$PrintJob variable.

The second job removes the print job in \$PrintJob.

REMARKS

To see the examples, type: "get-help Remove-PrintJob -examples".

For more information, type: "get-help Remove-PrintJob -detailed".

For technical information, type: "get-help Remove-PrintJob -full".

For online help, type: "get-help Remove-PrintJob -online"