MyWebUniversity *







Full credit is given to the above companies including the OS that this TDF file was generated!

PowerShell Get-Help on command 'Remove-PrinterDriver'

PS C:\Users\wahid> Get-Help Remove-PrinterDriver

NAME

Remove-PrinterDriver

SYNOPSIS

Deletes printer driver from the specified computer.

SYNTAX

Remove-PrinterDriver [-Name] <String[]> [[-PrinterEnvironment] <String[]>] [-AsJob] [-CimSession <CimSession[]>] [-ComputerName <String>] [-Confirm] [-PassThru] [-RemoveFromDriverStore] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]

Remove-PrinterDriver [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
-InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]

DESCRIPTION

The Remove-PrinterDriver cmdlet deletes a printer driver from the specified computer. You can specify the printer driver to remove by using either a

printer object retrieved by Get-Printer, or by specifying a printer name.

You can use wildcard characters with Remove-PrinterDriver . You can use Remove-PrinterDriver in a Windows PowerShell remoting session.

You need administrator credentials to run Remove-PrinterDriver .

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession (https://go.microsoft.com/fwlink/p/?LinkId=227967) or

[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet.

The default is the current session on the local computer.

-ComputerName <String>

Specifies the computer name from which to remove the printer driver.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

-Name <String[]>

Specifies the name of the printer driver to remove.

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

-PrinterEnvironment <String[]>

Specifies the printer driver environment.

-RemoveFromDriverStore [<SwitchParameter>]

Specifies whether to remove the printer driver from the driver store.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShellr calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,
ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example1: Remove the printer driver ------

Remove-PrinterDriver -Name "Microsoft XPS Document Writer v4"

This command removes the Microsoft XPS Document Writer v4 driver.

REMARKS

To see the examples, type: "get-help Remove-PrinterDriver -examples".

For more information, type: "get-help Remove-PrinterDriver -detailed".

For technical information, type: "get-help Remove-PrinterDriver -full".

For online help, type: "get-help Remove-PrinterDriver -online"