



python



PowerShell

FPDF Library
PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Remove-PrinterPort'

PS C:\Users\wahid> Get-Help Remove-PrinterPort

NAME

Remove-PrinterPort

SYNOPSIS

Removes the specified printer port from the specified computer.

SYNTAX

```
Remove-PrinterPort [-Name] <String[]> [-AsJob] [-CimSession <CimSession[]>]
[-ComputerName <String>] [-Confirm] [-PassThru] [-ThrottleLimit <Int32>]
[-WhatIf] [<CommonParameters>]
```

```
Remove-PrinterPort [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
-InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]
```

DESCRIPTION

The Remove-PrinterPort cmdlet removes the specified printer port from the specified computer.

You can remove a printer port by specifying the port name, or you can use a printer object retrieved using `Get-PrinterPort`.

You can use wildcard characters with `Remove-PrinterPort`. You can use `Remove-PrinterPort` in a Windows PowerShell remoting session.

You do not need administrator credentials to run `Remove-PrinterPort`.

PARAMETERS

`-AsJob` [`<SwitchParameter>`]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

`-CimSession` `<CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or `[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet`.

The default is the current session on the local computer.

`-ComputerName` `<String>`

Specifies the name of the computer from which to remove the printer port.

`-Confirm` [`<SwitchParameter>`]

Prompts you for confirmation before running the cmdlet.

`-InputObject` `<CimInstance[]>`

Specifies the input object that is used in a pipeline command.

`-Name` `<String[]>`

Specifies the name of the printer port to remove.

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Remove a specified printer port -----

```
Remove-PrinterPort -Name "LocalPort:"
```

This command removes the printer port named LocalPort: from the computer.

REMARKS

To see the examples, type: "get-help Remove-PrinterPort -examples".

For more information, type: "get-help Remove-PrinterPort -detailed".

For technical information, type: "get-help Remove-PrinterPort -full".

For online help, type: "get-help Remove-PrinterPort -online"