



python



PowerShell

FPDF Library  
PDF generator

*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***PowerShell Get-Help on command 'Remove-SmbGlobalMapping'***

***PS C:\Users\wahid> Get-Help Remove-SmbGlobalMapping***

#### NAME

Remove-SmbGlobalMapping

#### SYNOPSIS

Removes a Server Message Block (SMB) global mapping to an SMB share.

#### SYNTAX

```
Remove-SmbGlobalMapping [-AsJob] [-CimSession <CimSession[]>] [-Force]
-InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

```
Remove-SmbGlobalMapping [[-LocalPath] <String[]>] [[-RemotePath] <String[]>]
[-AsJob] [-CimSession <CimSession[]>] [-Force] [-PassThru] [-ThrottleLimit
<Int32>] [-Confirm] [-WhatIf] [<CommonParameters>]
```

#### DESCRIPTION

The Remove-SmbGlobalMapping cmdlet removes the SMB global mapping to an SMB share.

## PARAMETERS

### -AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

### -CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession` (/powershell/module/cimcmdlets/new-cimsession)` or `[Get-CimSession`](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet`. The default is the current session on the local computer.

### -Force [<SwitchParameter>]

Forces the command to run without asking for user confirmation.

### -InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

### -LocalPath <String[]>

Specifies the local drive letter to which the remote path is mapped.

### -PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

### -RemotePath <String[]>

Specifies the remote path that is accessed from this computer.

### -ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of 0 is entered, then Windows PowerShell calculates an optimum throttle limit

for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

----- Example 1 - Remove an SMB global mapping -----

```
PS C:\> Remove-SmbGlobalMapping -LocalPath g:
```

```
Confirm
```

```
Are you sure you want to perform this action?
```

```
Performing operation 'Close-Connection' on Target 'G:;\uglymonkey\shared'.
```

```
[Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default  
is "Y"): y
```

## REMARKS

To see the examples, type: "get-help Remove-SmbGlobalMapping -examples".

For more information, type: "get-help Remove-SmbGlobalMapping -detailed".

For technical information, type: "get-help Remove-SmbGlobalMapping -full".

For online help, type: "get-help Remove-SmbGlobalMapping -online"

